



Trauma & Spine Solutions



Product Catalogue

Contents

Clavicle	3
Humerus	6
Radius	10
Ulna	14
Femur	15
Tibia	19
Fibula	24
Pelvis	25
Calcaneus	26
Multifunctional	27
Mini	31
Screws	35
Locking Screws	42
Cannulated Screw	47
PFN	51
EFN	54
TN	56
ETN	58

Clavicle

Small Fragment Plating System CanSFP

Clavicle Hook Plate-I

Matching Screw:
3.5mm Cortical Screw, 4.0mm Cancellous Screw



Hole	Direction	P.N	Length	Material
4	Left	122126104	41.1mm	Titanium
5	Left	122126105	52.9mm	Titanium
6	Left	122126106	64.2mm	Titanium
7	Left	122126107	74.4mm	Titanium
4	Right	122126204	41.1mm	Titanium
5	Right	122126205	52.9mm	Titanium
6	Right	122126206	64.2mm	Titanium
7	Right	122126207	74.4mm	Titanium
4	Left	122159104	41.1mm	Titanium
5	Left	122159105	52.9mm	Titanium
6	Left	122159106	64.2mm	Titanium
7	Left	122159107	74.4mm	Titanium
4	Right	122159204	41.1mm	Titanium
5	Right	122159205	52.9mm	Titanium
6	Right	122159206	64.2mm	Titanium
7	Right	122159207	74.4mm	Titanium

Small Fragment Plating System CanSFP

Clavicle Reconstruction Plate-

Matching Screw:
3.5mm Cortical Screw, 4.0mm Cancellous Screw



Head thickness 3.0 Thickness 3.0 Head width 10 Width 10

Hole	Direction	P.N	Length	Material
6	Left	122128106	64.5mm	Titanium
8	Left	122128108	90.5mm	Titanium
10	Left	122128110	111mm	Titanium
12	Left	122128112	131.5mm	Titanium
6	Right	122128206	64.5mm	Titanium
8	Right	122128208	90.5mm	Titanium
10	Right	122128210	111mm	Titanium
12	Right	122128212	131.5mm	Titanium

Small Fragment Plating System CanSFP

Sternoclavicular Hook Plate

Matching Screw:
3.5mm Cortical Screw, 4.0mm Cancellous Screw



Hole	Direction	P.N	Length	Material
3	Left	122129103	117mm	Titanium
4	Left	122129104	137mm	Titanium
3	Right	122129203	117mm	Titanium
4	Right	122129204	137mm	Titanium
3	Left	122129303	120mm	Titanium
4	Left	122129304	140mm	Titanium
3	Right	122129403	120mm	Titanium
4	Right	122129404	140mm	Titanium
5	Right	122129405	160mm	Titanium

Clavicle

**Small Locking Fragment Plating System CanSLP
LCP Clavicle Hook Plate**

Matching Screw:
3.5mm Cortical Screw, 4.0mm Cancellous Screw ,3.5mm locking screws



Head thickness	Thickness	Head width	Width
2.5	3.6	25.6	11

Hole	Direction	P.N	Length	Material
4	Left	122236104	41mm	Titanium
5	Left	122236105	53mm	Titanium
6	Left	122236106	64mm	Titanium
7	Left	122236107	74mm	Titanium
4	Left	122236204	41mm	Titanium
5	Left	122236205	53mm	Titanium
6	Left	122236206	64mm	Titanium
7	Left	122236207	74mm	Titanium
4	Right	122236304	41mm	Titanium
5	Right	122236305	53mm	Titanium
6	Right	122236306	64mm	Titanium
7	Right	122236307	74mm	Titanium
4	Right	122236404	41mm	Titanium
5	Right	122236405	53mm	Titanium
6	Right	122236406	64mm	Titanium
7	Right	122236407	74mm	Titanium

**Small Locking Fragment Plating System CanSLP
LCP Superior Anterior Clavicle with Lateral Extension
Locking Plate**

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw,
3.5mm locking screws, 3.5mm spacer, 2.4/2.7mm locking screw



Head thickness	Thickness	Head width	Width
3.0	3.0	18	10

Hole	Direction	P.N	Length	Material
3	Left	122264103	69mm	Titanium
4	Left	122264104	81mm	Titanium
5	Left	122264105	94mm	Titanium
6	Left	122264106	108mm	Titanium
7	Left	122264107	123mm	Titanium
8	Left	122264108	135mm	Titanium
3	Right	122264203	69mm	Titanium
4	Right	122264204	81mm	Titanium
5	Right	122264205	94mm	Titanium
6	Right	122264206	108mm	Titanium
7	Right	122264207	123mm	Titanium
8	Right	122264208	135mm	Titanium

**Small Locking Fragment Plating System CanSLP
LCP Superior Anterior Clavicle Locking Plate**

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw,
3.5mm locking screw, 3.5mm spacer



Hole	Direction	P.N	Length	Material
6	Left	122265106	94mm	Titanium
7	Left	122265107	110mm	Titanium
8	Left	122265108	120mm	Titanium
6	Right	122265206	94mm	Titanium
7	Right	122265207	110mm	Titanium
8	Right	122265208	120mm	Titanium

Clavicle

**Small Locking Fragment Plating System CanSLP
Clavicle Reconstruction Locking Plate**

Matching Screw:
3.5mm Cortical Screw, 3.5mm locking screw, 3.5mm spacer



Hole	Direction	P.N	Length	Material
6	/	122232006	70.5mm	Titanium
8	/	122232008	94.5mm	Titanium
6	Left	122232306	70.5mm	Titanium
8	Left	122232308	94.5mm	Titanium
6	Left	122232106	70.5mm	Titanium
8	Left	122232108	94.5mm	Titanium
10	Left	122232110	118.5mm	Titanium
12	Left	122232112	142.5mm	Titanium
6	Right	122232406	70.5mm	Titanium
8	Right	122232408	94.5mm	Titanium
6	Right	122232206	70.5mm	Titanium
8	Right	122232208	94.5mm	Titanium
10	Right	122232210	118.5mm	Titanium
12	Right	122232212	142.5mm	Titanium

Humerus

**Small Fragment Plating System CanSFP
Distal Posterior / Lateral Humeral Plate**

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw



Head thickness Thickness Head width Width
1.8 3.5 40 10.5

Hole	Direction	P.N	Length	Material
3	Left	122130103	80mm	Titanium
4	Left	122130104	92mm	Titanium
5	Left	122130105	104mm	Titanium
6	Left	122130106	116mm	Titanium
7	Left	122130107	128mm	Titanium
8	Left	122130108	140mm	Titanium
9	Left	122130109	152mm	Titanium
10	Left	122130110	164mm	Titanium
11	Left	122130111	176mm	Titanium
12	Left	122130112	188mm	Titanium
3	Right	122130203	80mm	Titanium
4	Right	122130204	92mm	Titanium
5	Right	122130205	104mm	Titanium
6	Right	122130206	116mm	Titanium
7	Right	122130207	128mm	Titanium
8	Right	122130208	140mm	Titanium
9	Right	122130209	152mm	Titanium
10	Right	122130210	164mm	Titanium
11	Right	122130211	176mm	Titanium
12	Right	122130212	188mm	Titanium

**Small Fragment Plating System CanSFP
Proximal Lateral Humeral Plate, with LC-undercuts**

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw



Head thickness Thickness Head width Width
2.2 3.2 25 11.5

Hole	Direction	P.N	Length	Material
4	Left	122131104	87mm	Titanium
5	Left	122131105	99mm	Titanium
6	Left	122131106	111mm	Titanium
7	Left	122131107	123mm	Titanium
8	Left	122131108	135mm	Titanium
10	Left	122131110	159mm	Titanium
4	Right	122131204	87mm	Titanium
5	Right	122131205	99mm	Titanium
6	Right	122131206	111mm	Titanium
7	Right	122131207	123mm	Titanium
8	Right	122131208	135mm	Titanium
10	Right	122131210	159mm	Titanium

**Small Fragment Plating System CanSFP
Distal Medial Humeral Plate**

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw



Head thickness Thickness Head width Width
1.5 3.0 8.2 8.2

Hole	P.N	Material
10	122133010	Titanium
11	122133011	Titanium
12	122133012	Titanium
13	122133013	Titanium
14	122133014	Titanium
15	122133015	Titanium
16	122133016	Titanium
17	122133017	Titanium
18	122133018	Titanium
19	122133019	Titanium
20	122133020	Titanium

Humerus

**Small Locking Fragment Plating System CanSLP
Proximal Humeral Locking Plate I**

Matching Screw:
3.5mm Cortical Screw, 4.0mm Cancellous Screw, 3.5mm locking screw



Hole	P.N	Length	Material
3	122238103	90mm	Titanium
4	122238104	102mm	Titanium
5	122238105	114mm	Titanium
6	122238106	126mm	Titanium
7	122238107	138mm	Titanium
8	122238108	150mm	Titanium
9	122238109	162mm	Titanium
10	122238110	174mm	Titanium
11	122238111	186mm	Titanium
12	122238112	198mm	Titanium
13	122238113	210mm	Titanium
14	122238114	222mm	Titanium

**Small Locking Fragment Plating System CanSLP
Proximal Humeral Locking Plate II**

Matching Screw:
3.5mm Cortical Screw, 4.0mm Cancellous Screw, 3.5mm locking screw



Head thickness	Thickness	Head width	Width
2	4.2	22.85	12.5

Hole	P.N	Length	Material
3	122238003	110mm	Titanium
4	122238004	128mm	Titanium
5	122238005	146mm	Titanium
6	122238006	164mm	Titanium
7	122238007	182mm	Titanium
8	122238008	200mm	Titanium
9	122238009	218mm	Titanium
10	122238010	236mm	Titanium
11	122238011	254mm	Titanium
12	122238012	272mm	Titanium
13	122238013	290mm	Titanium

**Small Locking Fragment Plating System CanSLP
Distal Lateral Dorsal Humeral Locking Plate (Buttress)**

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw,
3.5mm locking screw, 3.5mm spacer, 2.4/2.7mm locking screw



Head thickness	Thickness	Head width	Width
2.5	2.5	23.1	12

Hole	Direction	P.N	Length	Material
3	Left	122243103	65mm	Titanium
5	Left	122243105	91mm	Titanium
7	Left	122243107	117mm	Titanium
9	Left	122243109	143mm	Titanium
14	Right	122243114	208mm	Titanium
3	Right	122243203	65mm	Titanium
5	Right	122243205	91mm	Titanium
7	Right	122243207	117mm	Titanium
9	Right	122243209	143mm	Titanium
14	Rightt	122243214	208mm	Titanium

Humerus

**Small Locking Fragment Plating System CanSLP
Distal Medial Humeral Locking Plate**

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw,
3.5mm locking screw, 3.5mm spacer, 2.4/2.7mm locking screw



Hole	Direction	P.N	Length	Material
3	Left	122245103	59mm	Titanium
5	Left	122245105	84mm	Titanium
7	Left	122245107	110mm	Titanium
9	Left	122245109	136mm	Titanium
14	Right	122245114	201mm	Titanium
3	Right	122245203	59mm	Titanium
5	Right	122245205	84mm	Titanium
7	Right	122245207	110mm	Titanium
9	Right	122245209	136mm	Titanium
14	Right	122245214	201mm	Titanium

Head thickness Thickness Head width Width
3.5 3.5 11 11

Humerus

**Small Locking Fragment Plating System CanSLP
Distal Lateral Dorsal Humeral Plate**

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw, 3.5mm locking screw, 3.5mm spacer, 2.4/2.7mm lockingscrew



Head thickness	Thickness	Head width	Width
2.5	2.5	14.2	11

Hole	Direction	P.N	Length	Material
3	Left	122244103	65mm	Titanium
5	Left	122244105	91mm	Titanium
7	Left	122244107	117mm	Titanium
9	Left	122244109	143mm	Titanium
14	Right	122244114	208mm	Titanium
3	Right	122244203	65mm	Titanium
5	Right	122244205	91mm	Titanium
7	Right	122244207	117mm	Titanium
9	Right	122244209	143mm	Titanium
14	Right	122244214	208mm	Titanium

**Small Locking Fragment Plating System CanSLP
LCP-Distal Humeral extra-articular locking plate**

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw, 3.5mm locking screw, 3.5mm spacer



Head thickness	Thickness	Head width	Width
2.2	4.6	11.5	12.5

Hole	Direction	P.N	Length	Material
4	Left	122262104	122mm	Titanium
6	Left	122262106	158mm	Titanium
8	Left	122262108	194mm	Titanium
10	Left	122262110	230mm	Titanium
12	Left	122262112	266mm	Titanium
14	Left	122262114	302mm	Titanium
4	Right	122262204	122mm	Titanium
6	Right	122262206	158mm	Titanium
8	Right	122262208	194mm	Titanium
10	Right	122262210	230mm	Titanium
12	Right	122262212	266mm	Titanium
14	Right	122262214	302mm	Titanium

**Small Locking Fragment Plating System CanSLP
LCP-Distal Humeral middle metaphyseal locking plate**

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw, 3.5mm locking screw, 3.5mm spacer



Head thickness	Thickness	Head width	Width
1.4	3.2	11	11.5

Hole	P.N	Length	Material
3	122263007	80mm	Titanium
7	122263009	106mm	Titanium
11	122263011	132mm	Titanium
13	122263013	158mm	Titanium
15	122263015	184mm	Titanium

Radius

**Small Locking Fragment Plating System CanSLP
3.5mm LCP T-Plate, Right-angled(head 4holes)**

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw, 3.5mm locking screw



Head thickness 1.6 Thickness 1.6 Head width 31 Width 11

Hole	P.N	Length	Material
3	122220003	47mm	Titanium
4	122220004	58mm	Titanium
5	122220005	69mm	Titanium
6	122220006	80mm	Titanium

**Small Locking Fragment Plating System CanSLP
3.5mm LCP T-Plate, Oblique-angled(head 3holes)**

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw, 3.5mm locking screw



Head thickness 1.6 Thickness 1.6 Head width 23 Width 10

Hole	Direction	P.N	Length	Material
3	Left	122221103	52mm	Titanium
4	Left	122221104	63mm	Titanium
5	Left	122221105	74mm	Titanium
3	Right	122221203	52mm	Titanium
4	Right	122221204	63mm	Titanium
5	Right	122221205	74mm	Titanium

**Small Locking Fragment Plating System CanSLP
3.5mm LCP T-Plate, Right-angled(head 3holes)**

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw, 3.5mm locking screw



Head thickness 1.6 Thickness 1.6 Head width 24 Width 10

Hole	P.N	Length	Material
3	122222003	46.5mm	Titanium
4	122222004	57.5mm	Titanium
5	122222005	68.5mm	Titanium
6	122222006	79.5mm	Titanium

**Small Locking Fragment Plating System CanSLP
LCP Distal Radius Locking Plate**

Matching screw: 2.4/2.7mm locking screw, 2.4mm Cortical Screw



Hole	P.N	Length	Material
8	122261008	100mm	Titanium
10	122261010	120mm	Titanium
12	122261012	140mm	Titanium

Radius

**Small Locking Fragment Plating System CanSLP
VA LCP Distal Palmar Radius two-column Locking Plate
(head 6 holes)**

MatchingScrew:2.4/2.7mmlockingscrew,2.4mmVALockingscrew,
2.4mmCorticalScrew



Head thickness 2.2 Thickness 2.2 Head width 22 Width 7.5

Hole	Direction	P.N	Length	Material
2	Left	122323102	45mm	Titanium
3	Left	122323103	54mm	Titanium
4	Left	122323104	66mm	Titanium
5	Left	122323105	75mm	Titanium
2	Right	122323202	45mm	Titanium
3	Right	122323203	54mm	Titanium
4	Right	122323204	66mm	Titanium
5	Right	122323205	75mm	Titanium

**Φ2.4/Φ2.7Locking Screw Instruments Set
LCP Proximal Radius Arch(collum radii) Locking Plate**

MatchingScrew:2.4/2.7mmlockingscrew,2.4mmCorticalScrew



Head thickness 1.6 Thickness 1.6 Head width 16 Width 8

Hole	P.N	Length	Material
2	121236002	32mm	Titanium
3	121236003	41mm	Titanium
4	121236004	50mm	Titanium

**Φ2.4/Φ2.7Locking Screw Instruments Set
LCP Proximal Radius Arch(collum radii) Locking Plate**

MatchingScrew:2.4/2.7mmlockingscrew,2.4mmCorticalScrew



Head thickness 1.6 Thickness 1.6 Head width 15.3 Width 8

Hole	Direction	P.N	Length	Material
2	Left	121237002	37.5mm	Titanium
3	Left	121237003	46.5mm	Titanium
4	Left	121237004	55.5mm	Titanium
2	Right	121237102	37.5mm	Titanium
3	Right	121237103	46.5mm	Titanium
4	Right	121237104	55.5mm	Titanium

**Φ2.4/Φ2.7Locking Screw Instruments Set
LCP Proximal Radius Arch(collum radii) Locking Plate**

MatchingScrew:2.4/2.7mmlockingscrew,2.4mmCorticalScrew



Hole	Direction	P.N	Length	Material
3	Left	122277103	40mm	Titanium
4	Left	122277104	49mm	Titanium
3	Right	122277203	40mm	Titanium
4	Right	122277204	49mm	Titanium

Radius

**Small Locking Fragment Plating System CanSLP
LCP Distal Dorsal Radius Locking L-Plate**

Matching Screw: 2.4/2.7mm locking screw, 2.4mm Cortical Screw



Hole	Direction	P.N	Length	Material
3	Left	122277103	40mm	Titanium
4	Left	122277104	49mm	Titanium
3	Right	122277203	40mm	Titanium
4	Right	122277204	49mm	Titanium

**Small Locking Fragment Plating System CanSLP
LCP Distal Dorsal Radius Locking L-Plate**

Matching Screw: 2.4/2.7mm locking screw, 2.4mm Cortical Screw



Hole	Direction	P.N	Length	Material
3	Left	122276103	43mm	Titanium
4	Left	122276104	52mm	Titanium
3	Right	122276203	43mm	Titanium
4	Right	122276204	52mm	Titanium

**Small Locking Fragment Plating System CanSLP
LCP Distal Dorsal Radius Locking L-Plate**

Matching Screw: 2.4/2.7mm locking screw, 2.4mm Cortical Screw



Hole	P.N	Length	Material
3	122278003	40mm	Titanium
4	122278004	49mm	Titanium

**Small Locking Fragment Plating System CanSLP
LCP Distal Dorsal Radius Locking Plate**

Matching Screw: 2.4/2.7mm locking screw, 2.4mm Cortical Screw



Hole	P.N	Length	Material
5	122292005	48mm	Titanium
6	122292006	57mm	Titanium

Radius

**Variable Angle Locking Compression Plate(Distal Radius)CanVLP
VA LCP Distal Palmar Radius two-column Locking Plate
(head 7 holes)**


Matching Screw: 2.4/2.7mm locking screw, 2.4mm VA locking screw,
2.4mm Cortical Screw



Hole	Direction	P.N	Length	Material
2	Left	122325102	47mm	Titanium
3	Left	122325103	55mm	Titanium
4	Left	122325104	68mm	Titanium
5	Left	122325105	77mm	Titanium
7	Left	122325107	95mm	Titanium
9	Left	122325109	113mm	Titanium
11	Left	122325111	131mm	Titanium
2	Right	122325202	47mm	Titanium
3	Right	122325203	55mm	Titanium
4	Right	122325204	68mm	Titanium
5	Right	122325205	77mm	Titanium
7	Right	122325207	95mm	Titanium
9	Right	122325209	113mm	Titanium
11	Right	122325211	131mm	Titanium

**Small Locking Fragment Plating System CanSLP
Distal radius volar locking plate**

Matching Screw: 2.4/2.7mm locking screw, 3.5mm locking screw,
3.5mm Cortical Screw



Hole	Direction	P.N	Length	Material
3	Left	121238103	51mm	Titanium
4	Left	121238104	56.6mm	Titanium
7	Left	121238107	89mm	Titanium
10	Left	121238110	140mm	Titanium
12	Left	121238112	175mm	Titanium
3	Right	121238203	51mm	Titanium
4	Right	121238204	56.6mm	Titanium
7	Right	121238207	89mm	Titanium
10	Right	121238210	140mm	Titanium
12	Right	121238212	175mm	Titanium

Head thickness Thickness Head width Width
1.4 3.2 11 11.5

Ulna

Small Fragment Plating System CanSFP
Ulnar Olecranon Plate

Matching Screw:
3.5mm Cortical Screw, 4.0mm Cancellous Screw



Head thickness 2.0 Thickness 2.0 Head width 19.5 Width 10

Hole	P.N	Length	Material
3	122140003	74mm	Titanium
4	122140004	86mm	Titanium
5	122140005	98mm	Titanium
6	122140006	110mm	Titanium
7	122140007	122mm	Titanium
8	122140008	134mm	Titanium

Small Locking Fragment Plating System CanSLP
LCP Olecranon Locking Plate

Matching Screw:
3.5mm Cortical Screw, 4.0mm Cancellous Screw,
3.5mm locking screw, 3.5mm spacer



Head thickness 2.5 Thickness 2.5 Head width 15 Width 11

Hole	Direction	P.N	Length	Material
2	Left	122240102	86mm	Titanium
4	Left	122240104	112mm	Titanium
6	Left	122240106	138mm	Titanium
8	Left	122240108	163mm	Titanium
10	Left	122240110	190mm	Titanium
12	Left	122240112	216mm	Titanium
2	Right	122240202	86mm	Titanium
4	Right	122240204	112mm	Titanium
6	Right	122240206	138mm	Titanium
8	Right	122240208	163mm	Titanium
10	Right	122240210	190mm	Titanium
12	Right	122240212	216mm	Titanium

Mini Locking Fragment Plating System CanMLP
LCP Distal Ulna Hook Locking Plate

Matching Screw:
2.0mm locking screw, 2.0mm Cortical Screw



Head thickness / Thickness 1.8 Head width 5 Width 5

Hole	P.N	Length	Material
7	121235007	46mm	Titanium

Dynamic Hip and Condylar System CanDHS-DCS™
DHS Plate 135°, with LC-undercuts

Matching Screw: 4.5mm Cortical Screw 、 6.5mm Cancellous Screw



Hole	P.N	Length	Material
2	124111102	52mm	Titanium
3	124111103	68mm	Titanium
4	124111104	84mm	Titanium
5	124111105	100mm	Titanium
6	124111106	116mm	Titanium
8	124111108	148mm	Titanium
10	124111110	180mm	Titanium
12	124111112	212mm	Titanium
14	124111114	244mm	Titanium
16	124111116	276mm	Titanium

Dynamic Hip and Condylar System CanDHS-DCS
DHS Plate 95°, with LC-undercuts

Matching Screw: 4.5mm Cortical Screw 、 6.5mm Cancellous Screw



Hole	P.N	Length	Material
4	124113104	117mm	Titanium
6	124113106	149mm	Titanium
8	124113108	181mm	Titanium
10	124113110	213mm	Titanium
12	124113112	245mm	Titanium

Dynamic Hip and Condylar System CanDHS-DCS
DHS/DCS Screw, with compression screw



P.N	Length	Material
134115050	50mm	Titanium
134115055	55mm	Titanium
134115060	60mm	Titanium
134115065	65mm	Titanium
134115070	70mm	Titanium
134115075	75mm	Titanium
134115080	80mm	Titanium
134115085	85mm	Titanium
134115090	90mm	Titanium
134115095	95mm	Titanium
134115100	100mm	Titanium
134115105	105mm	Titanium
134115110	110mm	Titanium

Femur

Dynamic Hip and Condylar System CanDHS-DCS
Lag Screw



P.N	Material
124116000	Titanium

Large Fragment Plating System CanLFP
4.5mm LC-DCP Plate, broad

Matching Screw: 4.5mm Cortical Screw, 6.5mm Cancellous Screw



Head thickness 5.0 Thickness 5.0 Head width 17.5 Width 17.5

Hole	P.N	Length	Material
6	123121006	124mm	Titanium
7	123121007	142mm	Titanium
8	123121008	160mm	Titanium
9	123121009	178mm	Titanium
10	123121010	196mm	Titanium
11	123121011	214mm	Titanium
12	123121012	232mm	Titanium
13	123121013	250mm	Titanium
14	123121014	268mm	Titanium

Large Fragment Plating System CanLFP
Distal Lateral Femoral Plate

Matching Screw: 4.5mm Cortical Screw, 6.5mm Cancellous Screw



Head thickness 2.0 Thickness 5.0 Head width 43.8 Width 17

Hole	Direction	P.N	Length	Material
5	Left	123128105	132mm	Titanium
7	Left	123128107	164mm	Titanium
9	Left	123128109	196mm	Titanium
11	Left	123128111	228mm	Titanium
13	Left	123128113	260mm	Titanium
5	Right	123128205	132mm	Titanium
7	Right	123128207	164mm	Titanium
9	Right	123128209	196mm	Titanium
11	Right	123128211	228mm	Titanium
13	Right	123128213	260mm	Titanium

Large Locking Fragment Plating System CaLLP™
4.5mm Locking Compression Plate(broad, LC-LCP)

Matching Screw: 4.5mm Cortical Screw, 6.5mm Cancellous Screw, 5.0mm Locking Screw



Head thickness 2.8 Thickness 5.2 Head width 17.5 Width 17.5

Hole	P.N	Length	Material
5	123221005	98mm	Titanium
6	123221006	116mm	Titanium
7	123221007	134mm	Titanium
8	123221008	152mm	Titanium
9	123221009	170mm	Titanium
10	123221010	188mm	Titanium
11	123221011	206mm	Titanium
12	123221012	224mm	Titanium
13	123221013	242mm	Titanium
14	123221014	260mm	Titanium
15	123221015	278mm	Titanium
16	123221016	296mm	Titanium
17	123221017	314mm	Titanium
18	123221018	332mm	Titanium

Femur

Large Locking Fragment Plating System CanLLP
Distal Lateral Femoral Locking Plate

Matching Screw:
4.5mm Cortical Screw, 6.5mm Cancellous Screw, 5.0mm Locking Screw



Head thickness 2.8 Thickness 5.5 Head width 35 Width 16.5

Hole	Direction	P.N	Length	Material
5	Left	123230105	155mm	Titanium
7	Left	123230107	195mm	Titanium
9	Left	123230109	235mm	Titanium
11	Left	123230111	275mm	Titanium
13	Left	123230113	315mm	Titanium
5	Right	123230205	155mm	Titanium
7	Right	123230207	195mm	Titanium
9	Right	123230209	235mm	Titanium
11	Right	123230211	275mm	Titanium
13	Right	123230213	315mm	Titanium

Large Locking Fragment Plating System CanLLP
Distal Lateral Femoral LISS Plate

Matching Screw:
4.5mm Cortical Screw, 6.5mm Cancellous Screw,
5.0mm Locking Screw, 5.0mm spacer




Head thickness 2.8 Thickness 5.5 Head width 35 Width 16.5

Hole	Direction	P.N	Length	Material
5	Left	123421105	155mm	Titanium
7	Left	123421107	195mm	Titanium
9	Left	123421109	235mm	Titanium
11	Left	123421111	275mm	Titanium
13	Left	123421113	315mm	Titanium
5	Right	123421205	155mm	Titanium
7	Right	123421207	195mm	Titanium
9	Right	123421209	235mm	Titanium
11	Right	123421211	275mm	Titanium
13	Right	123421213	315mm	Titanium

Large Locking Fragment Plating System CanLLP
LCP Proximal Femoral Locking Plate

Matching Screw:
4.5mm Cortical Screw, 6.5mm Cancellous Screw, 5.0mm Locking Screw,
5.0mm spacer



Head thickness 3.0 Thickness 5.6 Head width 25.4 Width 17.5

Hole	Direction	P.N	Length	Material
4	Left	123228304	175mm	Titanium
6	Left	123228306	211mm	Titanium
8	Left	123228308	247mm	Titanium
10	Left	123228310	283mm	Titanium
12	Left	123228312	319mm	Titanium
4	Right	123228404	175mm	Titanium
6	Right	123228406	211mm	Titanium
8	Right	123228408	247mm	Titanium
10	Right	123228410	283mm	Titanium
12	Right	123228412	319mm	Titanium

Small Fragment Plating System CanSFP

3.5mm Distal Lateral Tibial L-Plate

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw



Head thickness 2.0 Thickness 3.5 Head width 35 Width 11.5

Hole	Direction	P.N	Length	Material
3	Left	122147103	49mm	Titanium
4	Left	122147104	61mm	Titanium
6	Left	122147106	85mm	Titanium
8	Left	122147108	109mm	Titanium
10	Left	122147110	133mm	Titanium
12	Left	122147112	157mm	Titanium
3	Right	122147203	49mm	Titanium
4	Right	122147204	61mm	Titanium
6	Right	122147206	85mm	Titanium
8	Right	122147208	109mm	Titanium
10	Right	122147210	133mm	Titanium
12	Right	122147212	157mm	Titanium

Small Fragment Plating System CanSFP

4.5mm Distal Medial Tibial Plate

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw



Head thickness 1.5 Thickness 3.2 Head width 25.7 Width 12

Hole	Direction	P.N	Length	Material
4	Left	122158104	102mm	Titanium
6	Left	122158106	128mm	Titanium
8	Left	122158108	154mm	Titanium
10	Left	122158110	180mm	Titanium
4	Right	122158204	102mm	Titanium
6	Right	122158206	128mm	Titanium
8	Right	122158208	154mm	Titanium
10	Right	122158210	180mm	Titanium

Large Fragment Plating System CanLFP
4.5mm Proximal Lateral Tibial L-Plate-

Matching Screw: 4.5mm Cortical Screw, 6.5mm Cancellous Screw



Head thickness 2.1 Thickness 3.5 Head width 34.3 Width 12.5

Hole	Direction	P.N	Material
4	Left	123134104	Titanium
5	Left	123134105	Titanium
6	Left	123134106	Titanium
7	Left	123134107	Titanium
8	Left	123134108	Titanium
9	Left	123134109	Titanium
10	Left	123134110	Titanium
4	Right	123134204	Titanium
5	Right	123134205	Titanium
6	Right	123134206	Titanium
7	Right	123134207	Titanium
8	Right	123134208	Titanium
9	Right	123134209	Titanium
10	Right	123134210	Titanium

Large Fragment Plating System CanLFP
4.5mm Proximal Medial Tibial T-Plate

Matching Screw: 4.5mm Cortical Screw, 6.5mm Cancellous Screw



Head thickness 1.5 Thickness 3.2 Head width 33 Width 12

Hole	Direction	P.N	Length	Material
4	Left	123135104	81mm	Titanium
6	Left	123135106	113mm	Titanium
8	Left	123135108	145mm	Titanium
10	Left	123135110	177mm	Titanium
4	Right	123135204	81mm	Titanium
6	Right	123135206	113mm	Titanium
8	Right	123135208	145mm	Titanium
10	Right	123135210	177mm	Titanium

Large Fragment Plating System CanLFP
Lateral Tibia Head Plate

Matching Screw: 4.5mm Cortical Screw, 6.5mm Cancellous Screw



Head thickness 2.4 Thickness 4.0 Head width 24.5 Width 16

Hole	Direction	P.N	Length	Material
5	Left	123130805	130mm	Titanium
7	Left	123130807	162mm	Titanium
9	Left	123130809	194mm	Titanium
11	Left	123130811	226mm	Titanium
13	Left	123130813	258mm	Titanium
5	Right	123130905	130mm	Titanium
7	Right	123130907	162mm	Titanium
9	Right	123130909	194mm	Titanium
11	Right	123130911	226mm	Titanium
13	Right	123130913	258mm	Titanium

Small Locking Fragment Plating System CanSLP™

Distal Lateral Tibial Locking Plate

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw, 3.5mm Locking Screw



Head thickness	Thickness	Head width	Width
2	3.6	41.5	13.5

Hole	Direction	P.N	Length	Material
5	Left	122235105	80mm	Titanium
7	Left	122235107	106mm	Titanium
9	Left	122235109	132mm	Titanium
11	Left	122235111	158mm	Titanium
13	Left	122235113	184mm	Titanium
15	Left	122235115	210mm	Titanium
17	Left	122235117	236mm	Titanium
19	Left	122235119	262mm	Titanium
21	Left	122235121	288mm	Titanium
5	Right	122235205	80mm	Titanium
7	Right	122235207	106mm	Titanium
9	Right	122235209	132mm	Titanium
11	Right	122235211	158mm	Titanium
13	Right	122235213	184mm	Titanium
15	Right	122235215	210mm	Titanium
17	Right	122235217	236mm	Titanium
19	Right	122235219	262mm	Titanium
21	Right	122235221	288mm	Titanium

Small Locking Fragment Plating System CanSLP™

3.5mm LCP Distal Medial Tibial Plate

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw, 3.5mm Locking Screw



Head thickness	Thickness	Head width	Width
2.2	4	22.5	11

Hole	Direction	P.N	Length	Material
4	Left	122237104	117mm	Titanium
6	Left	122237106	144mm	Titanium
8	Left	122237108	171mm	Titanium
10	Left	122237110	198mm	Titanium
12	Left	122237112	225mm	Titanium
14	Left	122237114	252mm	Titanium
4	Right	122237204	117mm	Titanium
6	Right	122237206	144mm	Titanium
8	Right	122237208	171mm	Titanium
10	Right	122237210	198mm	Titanium
12	Right	122237212	225mm	Titanium
14	Right	122237214	252mm	Titanium

Small Locking Fragment Plating System CanSLP™

Proximal Lateral Tibial Locking Plate I

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw, 3.5mm Locking Screw, 3.5mm Spacer



Head thickness	Thickness	Head width	Width
2.0	3.6	33.5	11

Hole	Direction	P.N	Length	Material
4	Left	122253104	83mm	Titanium
6	Left	122253106	109mm	Titanium
8	Left	122253108	135mm	Titanium
10	Left	122253110	161mm	Titanium
12	Left	122253112	187mm	Titanium
14	Left	122253114	213mm	Titanium
16	Left	122253116	239mm	Titanium
4	Right	122253204	83mm	Titanium
6	Right	122253206	109mm	Titanium
8	Right	122253208	135mm	Titanium
10	Right	122253210	161mm	Titanium
12	Right	122253212	187mm	Titanium
14	Right	122253214	213mm	Titanium
16	Right	122253216	239mm	Titanium

**Small Locking Fragment Plating System CanSLP
LCP Distal Medial Tibial Plate**

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw,
3.5mm Locking Screw, 3.5mm Spacer



Head thickness 2.2 Thickness 4.2 Head width 20.5 Width 11.5

Hole	Direction	P.N	Length	Material
4	Left	122267104	109mm	Titanium
6	Left	122267106	135mm	Titanium
8	Left	122267108	161mm	Titanium
10	Left	122267110	187mm	Titanium
12	Left	122267112	213mm	Titanium
14	Left	122267114	239mm	Titanium
4	Right	122267204	109mm	Titanium
6	Right	122267206	135mm	Titanium
8	Right	122267208	161mm	Titanium
10	Right	122267210	187mm	Titanium
12	Right	122267212	213mm	Titanium
14	Right	122267214	239mm	Titanium

**Small Locking Fragment Plating System CanSLP
LCP Proximal Medial Tibial Locking Plate**

Matching Screw: 3.5mm Cortical Screw, 3.5mm Locking Screw



Hole	Direction	P.N	Length	Material
4	Left	122266104	60mm	Titanium
6	Left	122266106	84mm	Titanium
8	Left	122266108	108mm	Titanium
4	Right	122266204	60mm	Titanium
6	Right	122266206	84mm	Titanium
8	Right	122266208	108mm	Titanium

**Small Locking Fragment Plating System CanSLP
LCP Distal Posterior Tibial Locking Plate**

Matching Screw: 3.5mm Cortical Screw, 3.5mm Locking Screw



Hole	P.N	Length	Material
1	122255001	69mm	Titanium
2	122255002	79mm	Titanium
4	122255004	105mm	Titanium
6	122255006	131mm	Titanium

**Large Locking Fragment Plating System CanLLP
Proximal Lateral Tibial Locking Plate II**

Matching Screw: 4.5mm Cortical Screw,
6.5mm Cancellous Screw, 5.0mm Locking Screw



Head thickness 2.2 Thickness 4.2 Head width 20.5 Width 11.5

Hole	Direction	P.N	Length	Material
4	Left	123232104	82mm	Titanium
5	Left	123232105	100mm	Titanium
6	Left	123232106	118mm	Titanium
7	Left	123232107	136mm	Titanium
8	Left	123232108	154mm	Titanium
9	Left	123232109	172mm	Titanium
10	Left	123232110	190mm	Titanium
12	Left	123232112	226mm	Titanium
14	Left	123232114	262mm	Titanium
4	Right	123232204	82mm	Titanium
5	Right	123232205	100mm	Titanium
6	Right	123232206	118mm	Titanium
7	Right	123232207	136mm	Titanium
8	Right	123232208	154mm	Titanium
9	Right	123232209	172mm	Titanium
10	Right	123232210	190mm	Titanium
12	Right	123232212	226mm	Titanium
14	Right	123232214	262mm	Titanium

Tibia

Large Locking Fragment Plating System CanLLP

Proximal Tibial Locking Plate

Matching Screw: 4.5mm Cortical Screw, 6.5mm Cancellous Screw 5.0mm Locking Screw




Head thickness 3
Thickness 4.8
Head width 39.3
Width 15.5

Hole	Direction	P.N	Length	Material
3	Left	123233103	105mm	Titanium
5	Left	123233105	145mm	Titanium
7	Left	123233107	185mm	Titanium
9	Left	123233109	225mm	Titanium
11	Left	123233111	265mm	Titanium
13	Left	123233113	305mm	Titanium
3	Right	123233203	105mm	Titanium
5	Right	123233205	145mm	Titanium
7	Right	123233207	185mm	Titanium
9	Right	123233209	225mm	Titanium
11	Right	123233211	265mm	Titanium
13	Right	123233213	305mm	Titanium

Large Locking Fragment Plating System CanLLP

Proximal Lateral Tibial LISS Plate

Matching Screw: 4.5mm Cortical Screw, 6.5mm Cancellous Screw, 5.0mm Locking Screw, 5.0mm Locking Screw (Self-drilling and self-tapping), 5.0mm Spacer



Head thickness /
Thickness 4.8
Head width 21.5
Width 16

Hole	Direction	P.N	Length	Material
5	Left	123420105	141mm	Titanium
7	Left	123420107	181mm	Titanium
9	Left	123420109	221mm	Titanium
11	Left	123420111	261mm	Titanium
13	Left	123420113	301mm	Titanium
5	Right	123420205	141mm	Titanium
7	Right	123420207	181mm	Titanium
9	Right	123420209	221mm	Titanium
11	Right	123420211	261mm	Titanium
13	Right	123420213	301mm	Titanium

Large Locking Fragment Plating System CanLLP

LCP Proximal Middle Tibial Locking Plate

Matching Screw: 4.5mm Cortical Screw, 6.5mm Cancellous Screw, 5.0mm Locking



Head thickness 1.9
Thickness 3.5
Head width 33
Width 12

Hole	Direction	P.N	Length	Material
4	Left	123247104	106mm	Titanium
6	Left	123247106	142mm	Titanium
8	Left	123247108	178mm	Titanium
10	Left	123247110	214mm	Titanium
12	Left	123247112	250mm	Titanium
14	Left	123247114	286mm	Titanium
16	Left	123247116	322mm	Titanium
4	Right	123247204	106mm	Titanium
6	Right	123247206	142mm	Titanium
8	Right	123247208	178mm	Titanium
10	Right	123247210	214mm	Titanium
12	Right	123247212	250mm	Titanium
14	Right	123247214	286mm	Titanium
16	Right	123247216	322mm	Titanium

Large Locking Fragment Plating System CanLLP

LCP Distal Lateral Tibial Plate

Matching Screw: 4.5mm Cortical Screw, 6.5mm Cancellous Screw



Hole	Direction	P.N	Length	Material
5	Left	123250105	117mm	Titanium
7	Left	123250107	153mm	Titanium
9	Left	123250109	189mm	Titanium
11	Left	123250111	225mm	Titanium
13	Left	123250113	261mm	Titanium
5	Right	123250205	117mm	Titanium
7	Right	123250207	153mm	Titanium
9	Right	123250209	189mm	Titanium
11	Right	123250211	225mm	Titanium
13	Right	123250213	261mm	Titanium

Fibula

**Small Fragment Plating System Can
Distal Fibular Plate-**

MatchingScrew:3.5mmCorticalScrew,4.0mmCancellousScrew



Head thickness Thickness Head width Width
1.6 1.6 15 10.5

Hole	P.N	Length	Material
4	122148004	76mm	Titanium
5	122148005	88mm	Titanium
6	122148006	100mm	Titanium
8	122148008	124mm	Titanium

**Small Fragment Plating System Can
Distal Fibular Plate-**

MatchingScrew:3.5mmCorticalScrew,4.0mmCancellousScrew




Head thickness Thickness Head width Width
/ 1.5 / 10.5

Hole	Direction	P.N	Length	Material
4	Left	122150104	81.5mm	Titanium
5	Left	122150105	93.5mm	Titanium
6	Left	122150106	105.5mm	Titanium
4	Right	122150204	81.5mm	Titanium
5	Right	122150205	93.5mm	Titanium
6	Right	122150206	105.5mm	Titanium

**Small Locking Fragment Plating System CanSLP
LCP Distal Lateral Fibular Locking Plate**

MatchingScrew:3.5mmCorticalScrew,4.0mmCancellousScrew,
3.5mmLockingScrew,3.5mmSpacer,2.4/2.7mmLockingScrew



Head thickness Thickness Head width Width
2.5 2.5 14 9.5

Hole	Direction	P.N	Length	Material
3	Left	122242103	73mm	Titanium
4	Left	122242104	86mm	Titanium
5	Left	122242105	99mm	Titanium
6	Left	122242106	112mm	Titanium
7	Left	122242107	125mm	Titanium
3	Right	122242203	73mm	Titanium
4	Right	122242204	86mm	Titanium
5	Right	122242205	99mm	Titanium
6	Right	122242206	112mm	Titanium
7	Right	122242207	125mm	Titanium

Small Fragment Plating System Can
3.5mm Reconstruction Plate, curved

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw



Head thickness 3.0 Thickness 3.0 Head width 10 Width 10

Hole	P.N	Length	Material
6	122151006	71mm	Titanium
8	122151008	93.5mm	Titanium
10	122151010	115mm	Titanium
12	122151012	135mm	Titanium
14	122151014	154mm	Titanium
16	122151016	171mm	Titanium
18	122151018	186mm	Titanium
20	122151020	199mm	Titanium

Small Locking Fragment Plating System CanSLP
3.5 mm Pelvic Reconstruction Locking Plate

Matching Screw: 3.5mm Cortical Screw,
4.0mm Cancellous Screw, 3.5mm Locking Screw



Hole	P.N	Material
10	122294010	Titanium
11	122294011	Titanium
12	122294012	Titanium
13	122294013	Titanium
14	122294014	Titanium
15	122294015	Titanium
16	122294016	Titanium
18	122294018	Titanium
20	122294020	Titanium

Small Locking Fragment Plating System CanSLP
Pelvic Reconstruction Locking Plate, curved

Matching Screw: 3.5mm Cortical Screw,
4.0mm Cancellous Screw, 3.5mm Locking Screw



Hole	P.N	Material
6	122298006	Titanium
8	122298008	Titanium
10	122298010	Titanium
12	122298012	Titanium
14	122298014	Titanium
16	122298016	Titanium

Calcaneus

Small Fragment Plating System CanSFP

Calcaneal Plate-

Matching Screw: 3.5mm Cortical Screw,4.0mm Cancellous Screw SFP



Head thickness	Thickness	Head width	Width
1.5	1.5	41.7	20.5

Hole	P.N	Length	Material
14	122152060	60mm	Titanium
14	122152070	70mm	Titanium

Small Fragment Plating System CanSFP

Calcaneal Locking Plate-IV

Matching Screw:3.5mm Cortical Screw,4.0mm Cancellous Screw



Hole	P.N	Length	Material
8	122156008	48mm	Titanium
10	122156012	58mm	Titanium
12	122156112	65mm	Titanium

Small Locking Fragment Plating System CanSLP

Calcaneal Locking plate

Matching Screw:3.5mm Cortical Screw,4.0mm Cancellous Screw, 3.5mm Locking Screw



Head thickness	Thickness	Head width	Width
/	2	/	54

Hole	Direction	P.N	Length	Material
15	Left	122234169	69mm	Titanium
15	Left	122234176	76mm	Titanium
15	Right	122234269	69mm	Titanium
15	Right	122234276	76mm	Titanium

Small Locking Fragment Plating System CanSLP

Calcaneal Locking plate

Matching Screw:3.5mm Cortical Screw,4.0mm Cancellous Screw, 3.5mm Locking Screw



Head thickness	Thickness	Head width	Width
/	2	/	54

Hole	Direction	P.N	Material
8	Left	122291103	Titanium
8	Right	122291203	Titanium
12	left	122291101	Titanium
12	Right	122291201	Titanium
12	left	122291101	Titanium
12	Right	122291201	Titanium

Multifunctional

Small Fragment Plating System CanSFP
3.5mm LC-DCP Plate, narrow

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw



Head thickness 3.2 Thickness 3.2 Head width 11.5 Width 11.5

Hole	P.N	Length	Material
4	122121004	51mm	Titanium
5	122121005	64mm	Titanium
6	122121006	77mm	Titanium
7	122121007	90mm	Titanium
8	122121008	103mm	Titanium
9	122121009	116mm	Titanium
10	122121010	129mm	Titanium
11	122121011	142mm	Titanium
12	122121012	155mm	Titanium

Small Fragment Plating System CanSFP
3.5mm LC-DCP Plate, broad

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw



Head thickness 3.5 Thickness 3.5 Head width 12.5 Width 12.5

Hole	P.N	Length	Material
4	122122004	59mm	Titanium
5	122122005	74mm	Titanium
6	122122006	89mm	Titanium
7	122122007	104mm	Titanium
8	122122008	119mm	Titanium
9	122122009	134mm	Titanium
10	122122010	149mm	Titanium
11	122122011	164mm	Titanium
12	122122012	179mm	Titanium

Small Fragment Plating System CanSFP
3.5mm Reconstruction Plate, straight

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw



Head thickness 3.0 Thickness 3.0 Head width 10.5 Width 10.5

Hole	P.N	Length	Material
5	122123005	58mm	Titanium
6	122123006	70mm	Titanium
7	122123007	82mm	Titanium
8	122123008	94mm	Titanium
9	122123009	106mm	Titanium
10	122123010	118mm	Titanium
12	122123012	142mm	Titanium
14	122123014	166mm	Titanium
22	122123022	262mm	Titanium

Small Fragment Plating System CanSFP
One-Third Tubular Plate

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw



Head thickness 3.2 Thickness 3.2 Head width 11.5 Width 11.5

Hole	P.N	Length	Material
4	122125004	49mm	Titanium
5	122125005	61mm	Titanium
6	122125006	73mm	Titanium
7	122125007	85mm	Titanium
8	122125008	97mm	Titanium
9	122125009	109mm	Titanium
10	122125010	121mm	Titanium
11	122125011	133mm	Titanium
12	122125012	145mm	Titanium

Multifunctional

Small Fragment Plating System CanSFP
Cloverleaf Plate, broad,

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw



Head thickness 1.2 Thickness 2.0 Head width 38 Width 15

Hole	P.N	Length	Material
3	122136003	93mm	Titanium
4	122136004	109mm	Titanium
5	122136005	125mm	Titanium
6	122136006	141mm	Titanium

Large Fragment Plating System CanLFP
4.5mm LC-DCP Plate, narrow

Matching Screw: 4.5mm Cortical Screw, 6.5mm Cancellous Screw



Head thickness 4.8 Thickness 4.8 Head width 13.5 Width 13.5

Hole	P.N	Length	Material
6	123122006	124mm	Titanium
7	123122007	142mm	Titanium
8	123122008	160mm	Titanium
9	123122009	178mm	Titanium
10	123122010	196mm	Titanium
11	123122011	214mm	Titanium
12	123122012	232mm	Titanium
13	123122013	250mm	Titanium
14	123122014	268mm	Titanium

Large Fragment Plating System CanLFP
4.5mm Reconstruction Plate, straight

Matching Screw: 4.5mm Cortical Screw, 6.5mm Cancellous Screw



Head thickness 4.8 Thickness 4.8 Head width 12 Width 12

Hole	P.N	Length	Material
4	123123004	53mm	Titanium
5	123123005	66mm	Titanium
6	123123006	79mm	Titanium
7	123123007	92mm	Titanium
8	123123008	105mm	Titanium
9	123123009	118mm	Titanium
10	123123010	131mm	Titanium
11	123123011	144mm	Titanium
12	123123012	157mm	Titanium
13	123123013	170mm	Titanium
14	123123014	183mm	Titanium
16	123123016	209mm	Titanium

Small Locking Fragment Plating System CanSLP
3.5mm Reconstruction Locking Plate, straight

Matching Screw: 3.5mm Cortical Screw,
 4.0mm Cancellous Screw, 3.5mm Locking Screw



Head thickness Thickness Head width Width
 3.2 3.2 10.5 10.5

Hole	P.N	Length	Material
4	122224004	56mm	Titanium
5	122224005	70mm	Titanium
6	122224006	84mm	Titanium
7	122224007	98mm	Titanium
8	122224008	112mm	Titanium
9	122224009	126mm	Titanium
10	122224010	140mm	Titanium
11	122224011	154mm	Titanium
12	122224012	168mm	Titanium
13	122224013	182mm	Titanium
14	122224014	196mm	Titanium
16	122224016	224mm	Titanium
18	122224018	252mm	Titanium
20	122224020	280mm	Titanium
22	122224022	308mm	Titanium

Small Locking Fragment Plating System CanSLP
3.5mm Locking Compression Plate(narrow, LC-LCP)

Matching Screw: 3.5mm Cortical Screw,
 4.0mm Cancellous Screw, 3.5mm Locking Screw



Head thickness Thickness Head width Width
 3.2 3.2 11.5 11.5

Hole	P.N	Length	Material
4	122226004	59mm	Titanium
5	122226005	72mm	Titanium
6	122226006	85mm	Titanium
7	122226007	98mm	Titanium
8	122226008	111mm	Titanium
9	122226009	124mm	Titanium
10	122226010	137mm	Titanium
11	122226011	150mm	Titanium
12	122226012	163mm	Titanium

Small Locking Fragment Plating System CanSLP
3.5mm Metaphysis Locking Plate

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw,
 3.5mm Locking Screw, 3.5mm Spacer



Head thickness Thickness Head width Width
 3.2 3.2 11.5 11.5

Hole	P.N	Length	Material
6	122246006	86mm	Titanium
7	122246007	99mm	Titanium
8	122246008	112mm	Titanium
9	122246009	125mm	Titanium
10	122246010	138mm	Titanium
11	122246011	151mm	Titanium
12	122246012	164mm	Titanium
14	122246014	190mm	Titanium
16	122246016	216mm	Titanium
18	122246018	242mm	Titanium

Multifunctional

Small Locking Fragment Plating System CanSLP
LCP Hook Locking Plate

Matching Screw: 3.5mm Cortical Screw,
4.0mm Cancellous Screw, 3.5mm Locking Screw



Head thickness / Thickness 1.6 Head width 11 Width 11

Hole	P.N	Length	Material
3	122239003	62mm	Titanium
4	122239004	80mm	Titanium
5	122239005	98mm	Titanium

Large Locking Fragment Plating System CanLLP
4.5mm Locking Compression Plate(narrow, LC-LCP)

Matching Screw: 4.5mm Cortical Screw,
6.5mm Cancellous Screw 5.0mm Locking Screw



Head thickness 2.8 Thickness 4.8 Head width 13.5 Width 13.5

Hole	P.N	Length	Material
5	123222005	98mm	Titanium
6	123222006	116mm	Titanium
7	123222007	134mm	Titanium
8	123222008	152mm	Titanium
9	123222009	170mm	Titanium
10	123222010	188mm	Titanium
11	123222011	206mm	Titanium
12	123222012	224mm	Titanium
13	123222013	242mm	Titanium
14	123222014	260mm	Titanium
15	123222015	278mm	Titanium
16	123222016	296mm	Titanium

Large Locking Fragment Plating System CanLLP
3.5/4.5mm Metaphysis Locking Plate

Matching Screw: 3.5mm Cortical Screw, 4.0mm Cancellous Screw,
3.5mm Locking Screw, 4.5mm Cortical Screw, 6.5 mm Cancellous Screw,
5.0mm Locking Screw



Head thickness 2.3 Thickness 4.8 Head width / Width 13.5

Hole	P.N	Length	Material
3	123220003	118mm	Titanium
4	123220004	136mm	Titanium
5	123220005	154mm	Titanium
6	123220006	172mm	Titanium
7	123220007	190mm	Titanium
8	123220008	208mm	Titanium
9	123220009	226mm	Titanium
11	123220011	262mm	Titanium
13	123220013	298mm	Titanium
15	123220015	334mm	Titanium

Mini

Mini Fragment Plating System CanMFP

2.0mm T-Plate(head 3 holes)

Matching Screw:2.0mm Cortex Screw



Head thickness 0.8 Thickness 0.8 Head width 16.2 Width 5

Hole	P.N	Length	Material
4	121133004	29.5mm	Titanium
5	121133005	29.5mm	Titanium
6	121133006	42mm	Titanium
7	121133007	42mm	Titanium
8	121133008	54.5mm	Titanium

Mini Fragment Plating System CanMFP

2.0mm Tubular Plate

Matching Screw:2.0mm Cortex Screw



Head thickness 1.2 Thickness 1.2 Head width 5.5 Width 5.5

Hole	P.N	Length	Material
2	121121002	11mm	Titanium
3	121121003	17mm	Titanium
4	121121004	23mm	Titanium
5	121121005	29mm	Titanium
6	121121006	35mm	Titanium
7	121121007	41mm	Titanium

Mini Fragment Plating System CanMFP

2.4mm Reconstruction Plate

Matching Screw:2.4mm Cortex Screw



Head thickness 1.6 Thickness 1.6 Head width 6.5 Width 6.5

Hole	P.N	Length	Material
4	121120004	25.5mm	Titanium
5	121120005	32.0mm	Titanium
6	121120006	38.5mm	Titanium

Mini Fragment Plating System CanMFP

2.5mm T-Plate

Matching Screw:2.4mm Cortex Screw



Head thickness 1.2 Thickness 1.6 Head width 13 Width 5.5

Hole	P.N	Length	Material
2	121130002	19mm	Titanium
3	121130003	28mm	Titanium
4	121130004	36mm	Titanium
5	121130005	43mm	Titanium

Mini

Mini Fragment Plating System CanMFP

2.0mm T-Plate

Matching Screw:2.0mm Cortex Screw



Head thickness	Thickness	Head width	Width
0.8	0.8	10.92	5.5

Hole	P.N	Length	Material
2	121130102	19mm	Titanium
3	121130103	28mm	Titanium
4	121130104	36mm	Titanium
5	121130105	36mm	Titanium

Mini Fragment Plating System CanMFP

2.0mm T-Plate

Matching Screw:2.0mm Cortex Screw



Head thickness	Thickness	Head width	Width
0.8	0.8	10.8	5.5

Hole	Direction	P.N	Length	Material
4	Left	121131004	19mm	Titanium
5	Right	121131005	25mm	Titanium
4	Left	121131104	19mm	Titanium
5	Right	121131105	25mm	Titanium

Mini Locking Fragment Plating System CanMLP

LCP Mini Locking Plate(Y-shape)

Matching Screw:2.4mm Locking Screw



Head thickness	Thickness	Head width	Width
1.3	1.8	19.2	6.5

Hole	P.N	Length	Material
4	121233004	38.2mm	Titanium
5	121233005	45.5mm	Titanium
6	121233006	52.7mm	Titanium
7	121233007	60mm	Titanium

Mini Fragment Plating System CanMLP

LCP Mini Locking Plate(T-shape)

Matching Screw:2.4mm Locking Screw



Head thickness	Thickness	Head width	Width
1.3	1.8	19.2	6.5

Hole	P.N	Length	Material
4	121234004	35.2mm	Titanium
5	121234005	42.5mm	Titanium
6	121234006	49.7mm	Titanium
7	121234007	57mm	Titanium

Mini

Mini Fragment Plating System CanMLP

2.4mm LCP Condylar Plate

Matching Screw: 2.4mm Locking Screw



Head thickness 1.3 Thickness 1.8 Head width 12 Width 6.5

Hole	P.N	Length	Material
3	121224003	30.0mm	Titanium
4	121224004	37.5mm	Titanium
5	121224005	44.5mm	Titanium
6	121224006	51.7mm	Titanium
7	121224007	59.0mm	Titanium

Mini Fragment Plating System CanMLP

2.0mm LCP Y-Plate

Matching Screw: 2.0mm Locking Screw



Head thickness 1.3 Thickness 1.8 Head width 17.5 Width 5

Hole	P.N	Length	Material
4	121233104	38.2mm	Titanium
5	121233105	45.5mm	Titanium
6	121233106	52.7mm	Titanium
7	121233107	60.0mm	Titanium

Mini Locking Fragment Plating System CanMLP

2.0mm LCP T-Plate

Matching Screw: 2.0mm Locking Screw



Head thickness 1.3 Thickness 1.8 Head width 18 Width 5

Hole	P.N	Length	Material
4	121234104	35.2mm	Titanium
5	121234105	42.5mm	Titanium
6	121234106	49.7mm	Titanium
7	121234107	57.0mm	Titanium

Mini Fragment Plating System CanMLP

2.0mm LCP Condylar Plate

Matching Screw: 2.0mm Locking Screw



Head thickness 1.3 Thickness 1.8 Head width 10 Width 5

Hole	P.N	Length	Material
3	121224103	30.0mm	Titanium
4	121224104	37.5mm	Titanium
5	121224105	44.5mm	Titanium
6	121224106	51.7mm	Titanium
7	121224107	59.0mm	Titanium

**Mini Fragment Plating System CanMLP
Locking Plate**

Matching Screw: 2.4mm Locking Screw



Head thickness 1.6 Thickness 1.6 Head width 6.5 Width 6.5

Hole	P.N	Length	Material
4	121222004	36mm	Titanium
5	121222005	44mm	Titanium
6	121222006	52mm	Titanium
7	121222007	60mm	Titanium
8	121222008	68mm	Titanium
10	121222010	84mm	Titanium

**Mini Fragment Plating System CanMLP
LCP Locking Plate**

Matching Screw: 2.0mm Locking Screw



Head thickness 1.3 Thickness 1.3 Head width 5.5 Width 5.5

Hole	P.N	Length	Material
4	121222104	36mm	Titanium
5	121222105	36mm	Titanium
6	121222106	44mm	Titanium
7	121222107	52mm	Titanium
8	121222108	60mm	Titanium
10	121222110	68mm	Titanium

**Mini Locking Fragment Plating System CanMLP
LCP Adaption Locking Plate**

Matching Screw: 2.4mm Locking Screw



Head thickness 1.8 Thickness 1.8 Head width 6.5 Width 6.5

Hole	P.N	Length	Material
12	121223012	88mm	Titanium

**Mini Locking Fragment Plating System CanMLP
LCP Adaption Locking Plate**

Matching Screw: 2.0mm Locking Screw



Head thickness 1.3 Thickness 1.3 Head width 5 Width 5

Hole	P.N	Length	Material
12	121223112	88mm	Titanium

Small Fragment Plating System CanSFP
Cortex Screw



Specification	P.N	Material
Φ3.5X12	132111012	Titanium
Φ3.5X14	132111014	Titanium
Φ3.5X16	132111016	Titanium
Φ3.5X18	132111018	Titanium
Φ3.5X20	132111020	Titanium
Φ3.5X22	132111022	Titanium
Φ3.5X24	132111024	Titanium
Φ3.5X26	132111026	Titanium
Φ3.5X28	132111028	Titanium
Φ3.5X30	132111030	Titanium
Φ3.5X32	132111032	Titanium
Φ3.5X34	132111034	Titanium
Φ3.5X36	132111036	Titanium
Φ3.5X38	132111038	Titanium
Φ3.5X40	132111040	Titanium
Φ3.5X42	132111042	Titanium
Φ3.5X44	132111044	Titanium
Φ3.5X46	132111046	Titanium
Φ3.5X48	132111048	Titanium
Φ3.5X50	132111050	Titanium
Φ3.5×55	132111055	Titanium
Φ3.5×60	132111060	Titanium
Φ3.5×65	132111065	Titanium
Φ3.5×70	132111070	Titanium
Φ3.5×75	132111075	Titanium
Φ3.5×80	132111080	Titanium
Φ3.5×85	132111085	Titanium
Φ3.5×90	132111090	Titanium

Thread diameter Depth Spacing Shank diameter Head diameter Head height Head specifications(Unit:mm)
3.5 0.55 1.25 2.4 6 3.2 2.5

Small Fragment Plating System CanSFP
Cancellous Bone Screw, fully threaded



Specification	P.N	Material
Φ4.0X12	132117212	Titanium
Φ4.0X14	132117214	Titanium
Φ4.0X16	132117216	Titanium
Φ4.0X18	132117218	Titanium
Φ4.0X20	132117220	Titanium
Φ4.0X22	132117222	Titanium
Φ4.0X24	132117224	Titanium
Φ4.0X26	132117226	Titanium
Φ4.0X28	132117228	Titanium
Φ4.0X30	132117230	Titanium
Φ4.0X32	132117232	Titanium
Φ4.0X34	132117234	Titanium
Φ4.0X36	132117236	Titanium
Φ4.0X38	132117238	Titanium
Φ4.0X40	132117240	Titanium
Φ4.0X42	132117242	Titanium
Φ4.0X44	132117244	Titanium
Φ4.0X46	132117246	Titanium
Φ4.0X48	132117248	Titanium
Φ4.0X50	132117250	Titanium
Φ4.0X52	132117252	Titanium

Thread diameter Depth Spacing Shank diameter Head diameter Head height Head specifications(Unit:mm)
4 1.05 1.75 1.9 6 3.2 2.5

Small Fragment Plating System CanSFP
Cancellous Bone Screw, partially threaded



Specification	P.N	Material
Φ4.0X20	132115020	Titanium
Φ4.0X22	132115022	Titanium
Φ4.0X24	132115024	Titanium
Φ4.0X26	132115026	Titanium
Φ4.0X28	132115028	Titanium
Φ4.0X30	132115030	Titanium
Φ4.0X32	132115032	Titanium
Φ4.0X34	132115034	Titanium
Φ4.0X36	132115036	Titanium
Φ4.0X38	132115038	Titanium
Φ4.0X40	132115040	Titanium
Φ4.0X42	132115042	Titanium
Φ4.0X44	132115044	Titanium
Φ4.0X46	132115046	Titanium
Φ4.0X48	132115048	Titanium
Φ4.0X50	132115050	Titanium
Φ4.0X52	132115052	Titanium
Φ4.0X54	132115054	Titanium
Φ4.0X56	132115056	Titanium
Φ4.0X58	132115058	Titanium
Φ4.0X60	132115060	Titanium

Thread diameter	Depth	Spacing	Shank diameter	Head diameter	Head height	Head specifications(Unit:mm)
4	1.05	1.75	1.9	6	3.2	2.5

MiniFragmentPlatingSystemCanMFP
CortexScrew(φ 2.0)



Specification	P.N	Material
Φ2.0×6	131115006	Titanium
Φ2.0×7	131115007	Titanium
Φ2.0×8	131115008	Titanium
Φ2.0×9	131115009	Titanium
Φ2.0×10	131115010	Titanium
Φ2.0×11	131115011	Titanium
Φ2.0×12	131115012	Titanium
Φ2.0×13	131115013	Titanium
Φ2.0×14	131115014	Titanium
Φ2.0×16	131115016	Titanium
Φ2.0×18	131115018	Titanium
Φ2.0×20	131115020	Titanium
Φ2.0×22	131115022	Titanium
Φ2.0×24	131115024	Titanium
Φ2.0×26	131115026	Titanium
Φ2.0×28	131115028	Titanium
Φ2.0×30	131115030	Titanium
Φ2.0×32	131115032	Titanium
Φ2.0×34	131115034	Titanium
Φ2.0×36	131115036	Titanium
Φ2.0×38	131115038	Titanium

Thread diameter	Depth	Spacing	Shank diameter	Head diameter	Head height
φ2.0	0.3	0.6	φ1.4	φ3.2	0.92

Mini Fragment Plating System CanMFP
Cortex Screw(Φ2.0)



Thread diameter	Depth	Spacing	Shank diameter	Head diameter	Head height
φ2.0	0.3	0.6	φ1.4	φ3.2	1

Specification	P.N	Material
Φ2.0×7	131114007	Titanium
Φ2.0×8	131114008	Titanium
Φ2.0×9	131114009	Titanium
Φ2.0×10	131114010	Titanium
Φ2.0×11	131114011	Titanium
Φ2.0×12	131114012	Titanium
Φ2.0×13	131114013	Titanium
Φ2.0×14	131114014	Titanium
Φ2.0×16	131114016	Titanium
Φ2.0×18	131114018	Titanium
Φ2.0×20	131114020	Titanium
Φ2.0×22	131114022	Titanium
Φ2.0×24	131114024	Titanium
Φ2.0×26	131114026	Titanium
Φ2.0×28	131114028	Titanium
Φ2.0×30	131114030	Titanium
Φ2.0×32	131114032	Titanium
Φ2.0×34	131114034	Titanium
Φ2.0×36	131114036	Titanium
Φ2.0×38	131114038	Titanium

Mini Fragment Plating System CanMFP
Cortex Screw(Φ2.4)



Thread diameter	Depth	Spacing	Shank diameter	Head diameter	Head height
φ2.4	0.32	1	φ1.7	3.6	1.2

Specification	P.N	Material
Φ2.4×8	132103008	Titanium
Φ2.4×10	132103010	Titanium
Φ2.4×11	132103011	Titanium
Φ2.4×12	132103012	Titanium
Φ2.4×13	132103013	Titanium
Φ2.4×14	132103014	Titanium
Φ2.4×16	132103016	Titanium
Φ2.4×18	132103018	Titanium
Φ2.4×20	132103020	Titanium
Φ2.4×22	132103022	Titanium
Φ2.4×24	132103024	Titanium
Φ2.4×26	132103026	Titanium
Φ2.4×28	132103028	Titanium
Φ2.4×30	132103030	Titanium
Φ2.4×32	132103032	Titanium
Φ2.4×34	132103034	Titanium
Φ2.4×36	132103036	Titanium
Φ2.4×38	132103038	Titanium
Φ2.4×40	132103040	Titanium

Large Fragment Plating System CanLFP Cortex Screw



Thread diameter	Depth	Spacing	Shank diameter	Head diameter	Head height
φ2.4	0.32	1	φ 1.7	4.0	1.8

Specification	P.N	Material
Φ 2.4×8	132105008	Titanium
Φ 2.4×10	132105010	Titanium
Φ 2.4×11	132105011	Titanium
Φ 2.4×12	132105012	Titanium
Φ 2.4×13	132105013	Titanium
Φ 2.4×14	132105014	Titanium
Φ 2.4×16	132105016	Titanium
Φ 2.4×18	132105018	Titanium
Φ 2.4×20	132105020	Titanium
Φ 2.4×22	132105022	Titanium
Φ 2.4×24	132105024	Titanium
Φ 2.4×26	132105026	Titanium
Φ 2.4×28	132105028	Titanium
Φ 2.4×30	132105030	Titanium
Φ 2.4×32	132105032	Titanium
Φ 2.4×34	132105034	Titanium
Φ 2.4×36	132105036	Titanium
Φ 2.4×38	132105038	Titanium
Φ 2.4×40	132105040	Titanium
Φ 2.4×60	132105060	Titanium

Small Fragment Plating System CanSFP Cortex Screw, Self-tapping



Thread diameter	Depth	Spacing	Shank diameter	Head diameter	Head height
φ 3.5	0.55	1.25	φ 2.4	6.0	2.7

Specification	P.N	Material
Φ 3.5×12	132112012	Titanium
Φ 3.5×14	132112014	Titanium
Φ 3.5×16	132112016	Titanium
Φ 3.5×18	132112018	Titanium
Φ 3.5×20	132112020	Titanium
Φ 3.5×22	132112022	Titanium
Φ 3.5×24	132112024	Titanium
Φ 3.5×26	132112026	Titanium
Φ 3.5×28	132112028	Titanium
Φ 3.5×30	132112030	Titanium
Φ 3.5×32	132112032	Titanium
Φ 3.5×34	132112034	Titanium
Φ 3.5×36	132112036	Titanium
Φ 3.5×38	132112038	Titanium
Φ 3.5×40	132112040	Titanium
Φ 3.5×42	132112042	Titanium
Φ 3.5×44	132112044	Titanium
Φ 3.5×46	132112046	Titanium
Φ 3.5×48	132112048	Titanium
Φ 3.5×50	132112050	Titanium

Large Fragment Plating System CanLFP
Cortex Screw



Specification	P.N	Material
Φ4.5X16	133111016	Titanium
Φ4.5X18	133111018	Titanium
Φ4.5X20	133111020	Titanium
Φ4.5X22	133111022	Titanium
Φ4.5X24	133111024	Titanium
Φ4.5X26	133111026	Titanium
Φ4.5X28	133111028	Titanium
Φ4.5X30	133111030	Titanium
Φ4.5X32	133111032	Titanium
Φ4.5X34	133111034	Titanium
Φ4.5X36	133111036	Titanium
Φ4.5X38	133111038	Titanium
Φ4.5X40	133111040	Titanium
Φ4.5X42	133111042	Titanium
Φ4.5X44	133111044	Titanium
Φ4.5X46	133111046	Titanium
Φ4.5X48	133111048	Titanium
Φ4.5X50	133111050	Titanium
Φ4.5X52	133111052	Titanium
Φ4.5X54	133111054	Titanium
Φ4.5X56	133111056	Titanium
Φ4.5X58	133111058	Titanium
Φ4.5X60	133111060	Titanium
Φ4.5X65	133111065	Titanium
Φ4.5X70	133111070	Titanium
Φ4.5X75	133111075	Titanium
Φ4.5X80	133111080	Titanium
Φ4.5X85	133111085	Titanium
Φ4.5X90	133111090	Titanium

Thread diameter Depth Spacing Shank diameter Head diameter Head height Head specifications(Unit:mm)
4.5 0.75 1.75 3 8 4.5 3.5

Large Fragment Plating System CanLFP
Cancellous Bone Screw Ø6.5mm, fully threaded



Specification	P.N	Material
Φ6.5X20	133117020	Titanium
Φ6.5X25	133117025	Titanium
Φ6.5X30	133117030	Titanium
Φ6.5X35	133117035	Titanium
Φ6.5X40	133117040	Titanium
Φ6.5X45	133117045	Titanium
Φ6.5X50	133117050	Titanium
Φ6.5X55	133117055	Titanium
Φ6.5X60	133117060	Titanium
Φ6.5X65	133117065	Titanium
Φ6.5X70	133117070	Titanium
Φ6.5X75	133117075	Titanium
Φ6.5X80	133117080	Titanium
Φ6.5X85	133117085	Titanium
Φ6.5X90	133117090	Titanium
Φ6.5X95	133117095	Titanium
Φ6.5X100	133117100	Titanium
Φ6.5X105	133117105	Titanium
Φ6.5X110	133117110	Titanium
Φ6.5X115	133117115	Titanium
Φ6.5X120	133117120	Titanium

Thread diameter Depth Spacing Shank diameter Head diameter Head height Head specifications(Unit:mm)
6.5 1.75 2.75 3 8 4.8 3.5

Large Fragment Plating System CanLFP
Cortex Screw



Specification	P.N	Material
Φ4.5X16	133111016	Titanium
Φ4.5X18	133111018	Titanium
Φ4.5X20	133111020	Titanium
Φ4.5X22	133111022	Titanium
Φ4.5X24	133111024	Titanium
Φ4.5X26	133111026	Titanium
Φ4.5X28	133111028	Titanium
Φ4.5X30	133111030	Titanium
Φ4.5X32	133111032	Titanium
Φ4.5X34	133111034	Titanium
Φ4.5X36	133111036	Titanium
Φ4.5X38	133111038	Titanium
Φ4.5X40	133111040	Titanium
Φ4.5X42	133111042	Titanium
Φ4.5X44	133111044	Titanium
Φ4.5X46	133111046	Titanium
Φ4.5X48	133111048	Titanium
Φ4.5X50	133111050	Titanium
Φ4.5X52	133111052	Titanium
Φ4.5X54	133111054	Titanium
Φ4.5X56	133111056	Titanium
Φ4.5X58	133111058	Titanium
Φ4.5X60	133111060	Titanium
Φ4.5X65	133111065	Titanium
Φ4.5X70	133111070	Titanium
Φ4.5X75	133111075	Titanium
Φ4.5X80	133111080	Titanium
Φ4.5X85	133111085	Titanium
Φ4.5X90	133111090	Titanium

Thread diameter Depth Spacing Shank diameter Head diameter Head height Head specifications(Unit:mm)

4.5 0.75 1.75 3 8 4.5 3.5

Large Fragment Plating System CanLFP
Cancellous Bone Screw Ø6.5mm, fully threaded



Specification	P.N	Material
Φ6.5X20	133117020	Titanium
Φ6.5X25	133117025	Titanium
Φ6.5X30	133117030	Titanium
Φ6.5X35	133117035	Titanium
Φ6.5X40	133117040	Titanium
Φ6.5X45	133117045	Titanium
Φ6.5X50	133117050	Titanium
Φ6.5X55	133117055	Titanium
Φ6.5X60	133117060	Titanium
Φ6.5X65	133117065	Titanium
Φ6.5X70	133117070	Titanium
Φ6.5X75	133117075	Titanium
Φ6.5X80	133117080	Titanium
Φ6.5X85	133117085	Titanium
Φ6.5X90	133117090	Titanium
Φ6.5X95	133117095	Titanium
Φ6.5X100	133117100	Titanium
Φ6.5X105	133117105	Titanium
Φ6.5X110	133117110	Titanium
Φ6.5X115	133117115	Titanium
Φ6.5X120	133117120	Titanium

Thread diameter Depth Spacing Shank diameter Head diameter Head height Head specifications(Unit:mm)

6.5 1.75 2.75 3 8 4.8 3.5

Large Fragment Plating System CanLFP
Cancellous Bone Screw Ø6.5mm, partially threaded



Specification	P.N	Material
Φ 6.5X50	133115050	Titanium
Φ 6.5X55	133115055	Titanium
Φ 6.5X60	133115060	Titanium
Φ 6.5X65	133115065	Titanium
Φ 6.5X70	133115070	Titanium
Φ 6.5X75	133115075	Titanium
Φ 6.5X80	133115080	Titanium
Φ 6.5X85	133115085	Titanium
Φ 6.5X90	133115090	Titanium
Φ 6.5X95	133115095	Titanium
Φ 6.5X100	133115100	Titanium
Φ 6.5X105	133115105	Titanium
Φ 6.5X110	133115110	Titanium
Φ 6.5X115	133115115	Titanium
Φ 6.5X120	133115120	Titanium

Locking Screws

Small Locking Fragment Plating System CanSLP
Locking Screw, self-tapping



Specification	P.N	Material
Φ3.5X10	132214010	Titanium
Φ3.5X12	132214012	Titanium
Φ3.5X14	132214014	Titanium
Φ3.5X16	132214016	Titanium
Φ3.5X18	132214018	Titanium
Φ3.5X20	132214020	Titanium
Φ3.5X22	132214022	Titanium
Φ3.5X24	132214024	Titanium
Φ3.5X26	132214026	Titanium
Φ3.5X28	132214028	Titanium
Φ3.5X30	132214030	Titanium
Φ3.5X32	132214032	Titanium
Φ3.5X34	132214034	Titanium
Φ3.5X35	132214035	Titanium
Φ3.5X36	132214036	Titanium
Φ3.5X38	132214038	Titanium
Φ3.5X40	132214040	Titanium
Φ3.5X42	132214042	Titanium
Φ3.5X44	132214044	Titanium
Φ3.5X45	132214045	Titanium
Φ3.5X46	132214046	Titanium
Φ3.5X48	132214048	Titanium
Φ3.5X50	132214050	Titanium
Φ3.5X55	132214055	Titanium
Φ3.5X60	132214060	Titanium
Φ3.5X65	132214065	Titanium
Φ3.5X70	132214070	Titanium
Φ3.5X75	132214075	Titanium
Φ3.5X80	132214080	Titanium
Φ3.5X85	132214085	Titanium
Φ3.5X90	132214090	Titanium

Thread diameter Depth Spacing Shank diameter Head diameter Head height Head specifications(Unit:mm)

3.5 / / 2.9 4.9 2.6 T2.5

Small Locking Fragment Plating System CanSLP
Locking Spacer



Specification	P.N	Material
Φ 3.5	132211002	Titanium

Small Locking Fragment Plating System CanSLP
VA Locking Screw



Specification	P.N	Material
Φ2.4X8	132311008	Titanium
Φ2.4X10	132311010	Titanium
Φ2.4X12	132311012	Titanium
Φ2.4X14	132311014	Titanium
Φ2.4X16	132311016	Titanium
Φ2.4X18	132311018	Titanium
Φ2.4X20	132311020	Titanium
Φ2.4X22	132311022	Titanium
Φ2.4X24	132311024	Titanium
Φ2.4X26	132311026	Titanium
Φ2.4X28	132311028	Titanium
Φ2.4X30	132311030	Titanium

Locking Screws

Small Locking Fragment Plating System CanSLP
Locking Screw , self-tapping



Specification	P.N	Material
Φ 2.4X8	132201008	Titanium
Φ 2.4X10	132201010	Titanium
Φ 2.4X11	132201011	Titanium
Φ 2.4X12	132201012	Titanium
Φ 2.4X13	132201013	Titanium
Φ 2.4X14	132201014	Titanium
Φ 2.4X16	132201016	Titanium
Φ 2.4X18	132201018	Titanium
Φ 2.4X20	132201020	Titanium
Φ 2.4X22	132201022	Titanium
Φ 2.4X24	132201024	Titanium
Φ 2.4X26	132201026	Titanium
Φ 2.4X28	132201028	Titanium
Φ 2.4X30	132201030	Titanium

Thread diameter	Depth	Spacing	Shank diameter	Head diameter	Head height	Head specifications(Unit:mm)
2.4	0.25	0.6	1.9	3.5	2.3	/

Small Locking Fragment Plating System CanSLP
Locking Screw, self-tapping



Specification	P.N	Material
Φ 2.7X8	132202008	Titanium
Φ 2.7X10	132202010	Titanium
Φ 2.7X12	132202012	Titanium
Φ 2.7X14	132202014	Titanium
Φ 2.7X16	132202016	Titanium
Φ 2.7X18	132202018	Titanium
Φ 2.7X20	132202020	Titanium
Φ 2.7X22	132202022	Titanium
Φ 2.7X24	132202024	Titanium
Φ 2.7X26	132202026	Titanium
Φ 2.7X28	132202028	Titanium
Φ 2.7X30	132202030	Titanium
Φ 2.7X35	132202035	Titanium
Φ 2.7X40	132202040	Titanium
Φ 2.7X45	132202045	Titanium
Φ 2.7X50	132202050	Titanium
Φ 2.7X55	132202055	Titanium
Φ 2.7X60	132202060	Titanium

Thread diameter	Depth	Spacing	Shank diameter	Head diameter	Head height	Head specifications(Unit:mm)
2.7	0.3	0.6	2.1	3.5	2.1	/

Locking Screws

Mini Locking Fragment Plating System CanMLP
Locking screw, self-tapping(Φ2.0)



Specification	P.N	Material
Φ 2.0×6	131212006	Titanium
Φ 2.0×7	131212007	Titanium
Φ 2.0×8	131212008	Titanium
Φ 2.0×9	131212009	Titanium
Φ 2.0×10	131212010	Titanium
Φ 2.0×11	131212011	Titanium
Φ 2.0×12	131212012	Titanium
Φ 2.0×13	131212013	Titanium
Φ 2.0×14	131212014	Titanium
Φ 2.0×16	131212016	Titanium
Φ 2.0×18	131212018	Titanium
Φ 2.0×20	131212020	Titanium
Φ 2.0×22	131212022	Titanium
Φ 2.0×24	131212024	Titanium
Φ 2.0×26	131212026	Titanium
Φ 2.0×28	131212028	Titanium
Φ 2.0×30	131212030	Titanium

Thread diameter	Depth	Spacing	Shank diameter	Head diameter	Head height	Head specifications(Unit:mm)
2	0.3	0.6	1.4	2.8	1.8	/

Large Locking Fragment Plating System CanLLP
Locking Screw,self-tapping



Specification	P.N	Material
Φ 5.0X14	133202014	Titanium
Φ 5.0X16	133202016	Titanium
Φ 5.0X18	133202018	Titanium
Φ 5.0X20	133202020	Titanium
Φ 5.0X22	133202022	Titanium
Φ 5.0X24	133202024	Titanium
Φ 5.0X26	133202026	Titanium
Φ 5.0X28	133202028	Titanium
Φ 5.0X30	133202030	Titanium
Φ 5.0X32	133202032	Titanium
Φ 5.0X34	133202034	Titanium
Φ 5.0X36	133202036	Titanium
Φ 5.0X38	133202038	Titanium
Φ 5.0X40	133202040	Titanium
Φ 5.0X42	133202042	Titanium
Φ 5.0X44	133202044	Titanium
Φ 5.0X45	133202045	Titanium
Φ 5.0X46	133202046	Titanium
Φ 5.0X48	133202048	Titanium
Φ 5.0X50	133202050	Titanium
Φ 5.0X55	133202055	Titanium
Φ 5.0X60	133202060	Titanium
Φ 5.0X65	133202065	Titanium
Φ 5.0X70	133202070	Titanium
Φ 5.0X75	133202075	Titanium
Φ 5.0X80	133202080	Titanium
Φ 5.0X85	133202085	Titanium
Φ 5.0X90	133202090	Titanium
Φ 5.0X95	133202095	Titanium
Φ 5.0X100	133202100	Titanium

Thread diameter	Depth	Spacing	Shank diameter	Head diameter	Head height	Head specifications(Unit:mm)
5	/	/	4.4	6.6	4	T25

Locking Screws

Large Locking Fragment Plating System CanLLP
Locking Screw,self-tapping



Specification	P.N	Material
Φ 6.5X50	133218050	Titanium
Φ 6.5X55	133218055	Titanium
Φ 6.5X60	133218060	Titanium
Φ 6.5X65	133218065	Titanium
Φ 6.5X70	133218070	Titanium
Φ 6.5X75	133218075	Titanium
Φ 6.5X80	133218080	Titanium
Φ 6.5X85	133218085	Titanium
Φ 6.5X90	133218090	Titanium
Φ 6.5X95	133218095	Titanium
Φ 6.5X100	133218100	Titanium
Φ 6.5X105	133218105	Titanium
Φ 6.5X110	133218110	Titanium
Φ 6.5X115	133218115	Titanium
Φ 6.5X120	133218120	Titanium

Thread diameter	Depth	Spacing	Shank diameter	Head diameter	Head height	Head specifications(Unit:mm)
6.5	/	/	5.7	8	4	T25

Large Locking Fragment Plating System CanLLP
Spacer



Specification	P.N	Material
Φ 5.0	133219002	Titanium

Locking Screws

Large Locking Fragment Plating System CanLLP
Locking Screw, self-drilling



Specification	P.N	Material
Φ5.0X18	133203018	Titanium
Φ5.0X20	133203020	Titanium
Φ5.0X22	133203022	Titanium
Φ5.0X24	133203024	Titanium
Φ5.0X26	133203026	Titanium
Φ5.0X28	133203028	Titanium
Φ5.0X30	133203030	Titanium
Φ5.0X32	133203032	Titanium
Φ5.0X34	133203034	Titanium
Φ5.0X36	133203036	Titanium
Φ5.0X38	133203038	Titanium
Φ5.0X40	133203040	Titanium
Φ5.0X42	133203042	Titanium
Φ5.0X44	133203044	Titanium
Φ5.0X45	133203045	Titanium
Φ5.0X46	133203046	Titanium
Φ5.0X48	133203048	Titanium
Φ5.0X50	133203050	Titanium
Φ5.0X55	133203055	Titanium
Φ5.0X60	133203060	Titanium
Φ5.0X65	133203065	Titanium
Φ5.0X70	133203070	Titanium
Φ5.0X75	133203075	Titanium
Φ5.0X80	133203080	Titanium
Φ5.0X85	133203085	Titanium
Φ5.0X90	133203090	Titanium
Φ5.0X95	133203095	Titanium
Φ5.0X100	133203100	Titanium

Large Locking Fragment Plating System CanLLP
Periporsthetic Screw



Specification	P.N	Material
Φ5.0×8	133203208	Titanium
Φ5.0×10	133203210	Titanium
Φ5.0×12	133203212	Titanium

Cannulated Screw

Cannulated Screw System CanNUS
Cannulated Screw Φ 4.5mm, self-drilling



Thread diameter Shank diameter Head diameter
4.5 2.7 6.5

Specification	P.N	Length(mm)	Material
Φ 4.5X20	134211020	7	Titanium
Φ 4.5X22	134211022	7	Titanium
Φ 4.5X24	134211024	8	Titanium
Φ 4.5X26	134211026	9	Titanium
Φ 4.5X28	134211028	9	Titanium
Φ 4.5X30	134211030	10	Titanium
Φ 4.5X32	134211032	11	Titanium
Φ 4.5X34	134211034	11	Titanium
Φ 4.5X36	134211036	12	Titanium
Φ 4.5X38	134211038	13	Titanium
Φ 4.5X40	134211040	13	Titanium
Φ 4.5X42	134211042	14	Titanium
Φ 4.5X44	134211044	15	Titanium
Φ 4.5X46	134211046	15	Titanium
Φ 4.5X48	134211048	16	Titanium
Φ 4.5X50	134211050	17	Titanium
Φ 4.5X52	134211052	17	Titanium
Φ 4.5X54	134211054	18	Titanium
Φ 4.5X56	134211056	19	Titanium
Φ 4.5X60	134211060	20	Titanium
Φ 4.5X64	134211064	21	Titanium
Φ 4.5X68	134211068	23	Titanium
Φ 4.5X72	134211072	24	Titanium

Cannulated Screw System CanNUS
Cannulated Screw Φ 6.5mm, self-drilling, thread length 32mm



Thread diameter Shank diameter Head diameter
6.5 4.2 8

Specification	P.N	Material
Φ 6.5x40	134312040	Titanium
Φ 6.5x45	134312045	Titanium
Φ 6.5x50	134312050	Titanium
Φ 6.5x55	134312055	Titanium
Φ 6.5x60	134312060	Titanium
Φ 6.5x65	134312065	Titanium
Φ 6.5x70	134312070	Titanium
Φ 6.5x75	134312075	Titanium
Φ 6.5x80	134312080	Titanium
Φ 6.5x85	134312085	Titanium
Φ 6.5x90	134312090	Titanium
Φ 6.5x95	134312095	Titanium
Φ 6.5x100	134312100	Titanium
Φ 6.5x105	134312105	Titanium
Φ 6.5x110	134312110	Titanium
Φ 6.5x115	134312115	Titanium
Φ 6.5x120	134312120	Titanium
Φ 6.5x125	134312125	Titanium
Φ 6.5x130	134312130	Titanium

Cannulated Screw

Cannulated Screw System CanNUS
Cannulated Screw Ø6.5mm, self-drilling, thread length 16mm



Thread diameter Shank diameter Head diameter
6.5 4.2 8

Specification	P.N	Material
Φ6.5×40	134311040	Titanium
Φ6.5×45	134311045	Titanium
Φ6.5×50	134311050	Titanium
Φ6.5×55	134311055	Titanium
Φ6.5×60	134311060	Titanium
Φ6.5×65	134311065	Titanium
Φ6.5×70	134311070	Titanium
Φ6.5×75	134311075	Titanium
Φ6.5×80	134311080	Titanium
Φ6.5×85	134311085	Titanium
Φ6.5×90	134311090	Titanium
Φ6.5×95	134311095	Titanium
Φ6.5×100	134311100	Titanium
Φ6.5×105	134311105	Titanium
Φ6.5×110	134311110	Titanium
Φ6.5×115	134311115	Titanium
Φ6.5×120	134311120	Titanium
Φ6.5×125	134311125	Titanium
Φ6.5×130	134311130	Titanium

Cannulated Screw System CanNUS
Cannulated Screw Ø7.3mm, self-drilling, thread length 32mm



Thread diameter Shank diameter Head diameter
7.3 4.5 8

Specification	P.N	Material
Φ7.3X40	134412040	Titanium
Φ7.3X45	134412045	Titanium
Φ7.3X50	134412050	Titanium
Φ7.3X55	134412055	Titanium
Φ7.3X60	134412060	Titanium
Φ7.3X65	134412065	Titanium
Φ7.3X70	134412070	Titanium
Φ7.3X75	134412075	Titanium
Φ7.3X80	134412080	Titanium
Φ7.3X85	134412085	Titanium
Φ7.3X90	134412090	Titanium
Φ7.3X95	134412095	Titanium
Φ7.3X100	134412100	Titanium
Φ7.3X105	134412105	Titanium
Φ7.3X110	134412110	Titanium
Φ7.3X115	134412115	Titanium
Φ7.3X120	134412120	Titanium
Φ7.3X125	134412125	Titanium
Φ7.3X130	134412130	Titanium
Φ7.3X140	134412140	Titanium

Cannulated Screw

Cannulated Screw System CanNUS
Cannulated Screw Ø7.3mm, self-drilling, thread length 16mm



Thread diameter Shank diameter Head diameter
7.3 4.5 8

Specification	P.N	Material
Φ 7.3X40	134411040	Titanium
Φ 7.3X45	134411045	Titanium
Φ 7.3X50	134411050	Titanium
Φ 7.3X55	134411055	Titanium
Φ 7.3X60	134411060	Titanium
Φ 7.3X65	134411065	Titanium
Φ 7.3X70	134411070	Titanium
Φ 7.3X75	134411075	Titanium
Φ 7.3X80	134411080	Titanium
Φ 7.3X85	134411085	Titanium
Φ 7.3X90	134411090	Titanium
Φ 7.3X95	134411095	Titanium
Φ 7.3X100	134411100	Titanium
Φ 7.3X105	134411105	Titanium
Φ 7.3X110	134411110	Titanium
Φ 7.3X115	134411115	Titanium
Φ 7.3X120	134411120	Titanium
Φ 7.3X125	134411125	Titanium
Φ 7.3X130	134411130	Titanium
Φ 7.3X140	134411140	Titanium

Cannulated Screw System CanNUS
Cannulated Screw



Thread diameter Shank diameter Head diameter
3.0 2.0 4

Specification	P.N	Material
Φ 3.0×10	134631010	Titanium
Φ 3.0×11	134631011	Titanium
Φ 3.0×12	134631012	Titanium
Φ 3.0×13	134631013	Titanium
Φ 3.0×14	134631014	Titanium
Φ 3.0×15	134631015	Titanium
Φ 3.0×16	134631016	Titanium
Φ 3.0×17	134631017	Titanium
Φ 3.0×18	134631018	Titanium
Φ 3.0×19	134631019	Titanium
Φ 3.0×20	134631020	Titanium
Φ 3.0×21	134631021	Titanium
Φ 3.0×22	134631022	Titanium
Φ 3.0×23	134631023	Titanium
Φ 3.0×24	134631024	Titanium
Φ 3.0×25	134631025	Titanium
Φ 3.0×26	134631026	Titanium
Φ 3.0×27	134631027	Titanium
Φ 3.0×28	134631028	Titanium
Φ 3.0×29	134631029	Titanium
Φ 3.0×30	134631030	Titanium
Φ 3.0×32	134631032	Titanium
Φ 3.0×34	134631034	Titanium
Φ 3.0×36	134631036	Titanium
Φ 3.0×38	134631038	Titanium
Φ 3.0×40	134631040	Titanium

Cannulated Screw

Cannulated Screw System CanNUS
Washer



Specification	P.N	Material
Φ3.0	134630000	Titanium

Cannulated Screw System CanNUS
Washer



Specification	P.N	Material
Φ6.5/7.3	134411000	Titanium
Φ4.5	134211000	Titanium

Proximal Femoral Nail System CanPFN
Nail(extended)



Specification	Direction	P.N	Material
Φ9X300	Left	135403530	Titanium
Φ9X320	Left	135403532	Titanium
Φ9X340	Left	135403534	Titanium
Φ9X360	Left	135403536	Titanium
Φ9X380	Left	135403538	Titanium
Φ9X400	Left	135403540	Titanium
Φ9X420	Left	135403542	Titanium
Φ10X300	Left	135403630	Titanium
Φ10X320	Left	135403632	Titanium
Φ10X340	Left	135403634	Titanium
Φ10X360	Left	135403636	Titanium
Φ10X380	Left	135403638	Titanium
Φ10X400	Left	135403640	Titanium
Φ10X420	Left	135403642	Titanium
Φ11X300	Left	135403730	Titanium
Φ11X320	Left	135403732	Titanium
Φ11X340	Left	135403734	Titanium
Φ11X360	Left	135403736	Titanium
Φ11X380	Left	135403738	Titanium
Φ11X400	Left	135403740	Titanium
Φ11X420	Left	135403742	Titanium
Φ9X300	Right	135404530	Titanium
Φ9X320	Right	135404532	Titanium
Φ9X340	Right	135404534	Titanium
Φ9X360	Right	135404536	Titanium
Φ9X380	Right	135404538	Titanium
Φ9X400	Right	135404540	Titanium
Φ9X420	Right	135404542	Titanium
Φ10X300	Right	135404630	Titanium
Φ10X320	Right	135404632	Titanium
Φ10X340	Right	135404634	Titanium
Φ10X360	Right	135404636	Titanium
Φ10X380	Right	135404638	Titanium
Φ10X400	Right	135404640	Titanium
Φ10X420	Right	135404642	Titanium
Φ11X300	Right	135404730	Titanium
Φ11X320	Right	135404732	Titanium
Φ11X340	Right	135404734	Titanium
Φ11X360	Right	135404736	Titanium
Φ11X380	Right	135404738	Titanium
Φ11X400	Right	135404740	Titanium
Φ11X420	Right	135404742	Titanium

Proximal Femoral Nail System CanPFN
Nail(standard)



Specification	P.N	Material
Φ9X170	135406517	Titanium
Φ9X200	135406520	Titanium
Φ9X240	135406524	Titanium
Φ10X170	135406617	Titanium
Φ10X200	135406620	Titanium
Φ10X240	135406624	Titanium
Φ11X170	135406717	Titanium
Φ11X200	135406720	Titanium
Φ11X240	135406724	Titanium
Φ12×170	135406817	Titanium
Φ12×200	135406820	Titanium
Φ12×240	135406824	Titanium
Φ13×170	135406917	Titanium
Φ13×200	135406920	Titanium
Φ13×240	135406924	Titanium

PFN

Proximal Femoral Nail System CanPFN
Locking screw



Specification	P.N	Material
Φ 4.9X20	135400020	Titanium
Φ 4.9X24	135400024	Titanium
Φ 4.9X28	135400028	Titanium
Φ 4.9X30	135400030	Titanium
Φ 4.9X32	135400032	Titanium
Φ 4.9X34	135400034	Titanium
Φ 4.9X36	135400036	Titanium
Φ 4.9X38	135400038	Titanium
Φ 4.9X40	135400040	Titanium
Φ 4.9X42	135400042	Titanium
Φ 4.9X44	135400044	Titanium
Φ 4.9X46	135400046	Titanium
Φ 4.9X48	135400048	Titanium
Φ 4.9X50	135400050	Titanium
Φ 4.9X52	135400052	Titanium
Φ 4.9X56	135400056	Titanium
Φ 4.9X60	135400060	Titanium
Φ 4.9X64	135400064	Titanium
Φ 4.9X68	135400068	Titanium
Φ 4.9X70	135400070	Titanium
Φ 4.9X72	135400072	Titanium
Φ 4.9X76	135400076	Titanium
Φ 4.9X80	135400080	Titanium

Proximal Femoral Nail System CanPFN
Lagscrew



Specification	P.N	Material
Φ 10.4X70	135400270	Titanium
Φ 10.4X75	135400275	Titanium
Φ 10.4X80	135400280	Titanium
Φ 10.4X85	135400285	Titanium
Φ 10.4X90	135400290	Titanium
Φ 10.4X95	135400295	Titanium
Φ 10.4X100	135400200	Titanium
Φ 10.4X105	135400205	Titanium
Φ 10.4X110	135400210	Titanium
Φ 10.4X115	135400215	Titanium
Φ 10.4X120	135400220	Titanium

Proximal Femoral Nail System CanPFN
Helical blade



Specification	P.N	Material
Φ 10.4X75	135400375	Titanium
Φ 10.4X80	135400380	Titanium
Φ 10.4X85	135400385	Titanium
Φ 10.4X90	135400390	Titanium
Φ 10.4X95	135400395	Titanium
Φ 10.4X100	135400300	Titanium
Φ 10.4X105	135400305	Titanium
Φ 10.4X110	135400310	Titanium
Φ 10.4X115	135400315	Titanium
Φ 10.4X120	135400320	Titanium

PFN

Proximal Femoral Nail System CanPFN
End cap



Specification	P.N	Diameter	Length	Material
5	135400101	Φ13.7	23.5	Titanium
10	135400102	Φ16.5	31	Titanium
15	135400103	Φ16.5	36	Titanium

Proximal Femoral Nail System CanPFN
End cap II



Specification	P.N	Diameter	Length	Material
5	135400104	Φ16.5	41	Titanium
10	135400105	Φ16.5	46	Titanium
15	135400106	Φ16.5	51	Titanium

Proximal Femoral Nail System CanEFN
 Nail(Cannulated)


Specification	Direction	P.N	Material
Φ9X300	Left	135503530	Titanium
Φ9X320	Left	135503532	Titanium
Φ9X340	Left	135503534	Titanium
Φ9X360	Left	135503536	Titanium
Φ9X380	Left	135503538	Titanium
Φ9X400	Left	135503540	Titanium
Φ9X420	Left	135503542	Titanium
Φ9X440	Left	135503544	Titanium
Φ9X460	Left	135503546	Titanium
Φ10X300	Left	135503630	Titanium
Φ10X320	Left	135503632	Titanium
Φ10X340	Left	135503634	Titanium
Φ10X360	Left	135503636	Titanium
Φ10X380	Left	135503638	Titanium
Φ10X400	Left	135503640	Titanium
Φ10X420	Left	135503642	Titanium
Φ10X440	Left	135503644	Titanium
Φ10X460	Left	135503646	Titanium
Φ11X300	Left	135503730	Titanium
Φ11X320	Left	135503732	Titanium
Φ11X340	Left	135503734	Titanium
Φ11X360	Left	135503736	Titanium
Φ11X380	Left	135503738	Titanium
Φ11X400	Left	135503740	Titanium
Φ11X420	Left	135503742	Titanium
Φ11X440	Left	135503744	Titanium
Φ11X460	Left	135503746	Titanium
Φ12×300	Left	135503830	Titanium
Φ12×320	Left	135503832	Titanium
Φ12×340	Left	135503834	Titanium
Φ12×360	Left	135503836	Titanium
Φ12×380	Left	135503838	Titanium
Φ12×400	Left	135503840	Titanium
Φ12×420	Left	135503842	Titanium
Φ12×440	Left	135503844	Titanium
Φ12×460	Left	135503846	Titanium
Φ9X300	Right	135504530	Titanium
Φ9X320	Right	135504532	Titanium
Φ9X340	Right	135504534	Titanium
Φ9X360	Right	135504536	Titanium
Φ9X380	Right	135504538	Titanium
Φ9X400	Right	135504540	Titanium
Φ9X420	Right	135504542	Titanium
Φ9X440	Right	135504544	Titanium
Φ9X460	Right	135504546	Titanium
Φ10X300	Right	135504630	Titanium
Φ10X320	Right	135504632	Titanium
Φ10X340	Right	135504634	Titanium
Φ10X360	Right	135504636	Titanium
Φ10X380	Right	135504638	Titanium
Φ10X400	Right	135504640	Titanium
Φ10X420	Right	135504642	Titanium
Φ10X440	Right	135504644	Titanium
Φ10X460	Right	135504646	Titanium
Φ11X300	Right	135504730	Titanium
Φ11X320	Right	135504732	Titanium
Φ11X340	Right	135504734	Titanium
Φ11X360	Right	135504736	Titanium
Φ11X380	Right	135504738	Titanium
Φ11X400	Right	135504740	Titanium
Φ11X420	Right	135504742	Titanium
Φ11X440	Right	135504744	Titanium
Φ11X460	Right	135504746	Titanium
Φ12×300	Right	135504830	Titanium
Φ12×320	Right	135504832	Titanium
Φ12×340	Right	135504834	Titanium
Φ12×360	Right	135504836	Titanium
Φ12×380	Right	135504838	Titanium
Φ12×400	Right	135504840	Titanium
Φ12×420	Right	135504842	Titanium
Φ12×440	Right	135504844	Titanium
Φ12×460	Right	135504846	Titanium

Proximal Femoral Nail System CanEFN
End cap



Specification	P.N	Material
5	135500101	Titanium
5	135500102	Titanium
10	135500103	Titanium
15	135500104	Titanium
20	135500105	Titanium
25	135500106	Titanium

Proximal Femoral Nail System CanEFN
Lag Screw



Specification	P.N	Material
Φ7X60	135500260	Titanium
Φ7X65	135500265	Titanium
Φ7X70	135500270	Titanium
Φ7X75	135500275	Titanium
Φ7X80	135500280	Titanium
Φ7X85	135500285	Titanium
Φ7X90	135500290	Titanium
Φ7X95	135500295	Titanium
Φ7X100	135500200	Titanium
Φ7X105	135500205	Titanium
Φ7X110	135500210	Titanium
Φ7X115	135500215	Titanium
Φ7X120	135500220	Titanium
Φ7X125	135500225	Titanium
Φ7X130	135500230	Titanium
Φ7X135	135500235	Titanium
Φ7X140	135500240	Titanium
Φ7X145	135500245	Titanium
Φ7X150	135500250	Titanium

Tibia Nail System CanTN
Tibia Nail



Specification	P.N	Material
Φ 8X250	135705425	Titanium
Φ 8X265	135705426	Titanium
Φ 8X280	135705428	Titanium
Φ 8X295	135705429	Titanium
Φ 8X310	135705431	Titanium
Φ 8X325	135705432	Titanium
Φ 8X340	135705434	Titanium
Φ 8X355	135705435	Titanium
Φ 8X375	135705437	Titanium
Φ 8X395	135705439	Titanium
Φ 8X415	135705441	Titanium
Φ 9X250	135705525	Titanium
Φ 9X265	135705526	Titanium
Φ 9X280	135705528	Titanium
Φ 9X295	135705529	Titanium
Φ 9X310	135705531	Titanium
Φ 9X325	135705532	Titanium
Φ 9X340	135705534	Titanium
Φ 9X355	135705535	Titanium
Φ 9X375	135705537	Titanium
Φ 9X395	135705539	Titanium
Φ 9X415	135705541	Titanium
Φ 10X250	135705625	Titanium
Φ 10X265	135705626	Titanium
Φ 10X280	135705628	Titanium
Φ 10X295	135705629	Titanium
Φ 10X310	135705631	Titanium
Φ 10X325	135705632	Titanium
Φ 10X340	135705634	Titanium
Φ 10X355	135705635	Titanium
Φ 10X375	135705637	Titanium
Φ 10X395	135705639	Titanium
Φ 10X415	135705641	Titanium

Tibia Nail System CanETN
End Cap I



Specification	P.N	Material
15	135700115	Titanium
20	135700120	Titanium
25	135700125	Titanium
30	135700130	Titanium

TN

Tibia Nail System CanTN
Locking Screw



Specification	P.N	Material
Φ 3.9X26	135700026	Titanium
Φ 3.9X28	135700028	Titanium
Φ 3.9X30	135700030	Titanium
Φ 3.9X32	135700032	Titanium
Φ 3.9X34	135700034	Titanium
Φ 3.9X36	135700036	Titanium
Φ 3.9X38	135700038	Titanium
Φ 3.9X40	135700040	Titanium
Φ 3.9X42	135700042	Titanium
Φ 3.9X44	135700044	Titanium
Φ 3.9X46	135700046	Titanium
Φ 3.9X48	135700048	Titanium
Φ 3.9X50	135700050	Titanium
Φ 3.9X52	135700052	Titanium
Φ 3.9X54	135700054	Titanium
Φ 3.9X56	135700056	Titanium
Φ 3.9X58	135700058	Titanium
Φ 3.9X60	135700060	Titanium
Φ 3.9X64	135700064	Titanium
Φ 3.9X68	135700068	Titanium
Φ 3.9X72	135700072	Titanium
Φ 3.9X76	135700076	Titanium
Φ 3.9X80	135700080	Titanium

Tibia Nail System CanETN
 Tibia Nail(Cannulated)



Specification	P.N	Material
Φ 8×255	135716425	Titanium
Φ 8×270	135716427	Titanium
Φ 8×285	135716428	Titanium
Φ 8×300	135716430	Titanium
Φ 8×315	135716431	Titanium
Φ 8×330	135716433	Titanium
Φ 8×345	135716434	Titanium
Φ 8×360	135716436	Titanium
Φ 8×375	135716437	Titanium
Φ 9×255	135716525	Titanium
Φ 9×270	135716527	Titanium
Φ 9×285	135716528	Titanium
Φ 9×300	135716530	Titanium
Φ 9×315	135716531	Titanium
Φ 9×330	135716533	Titanium
Φ 9×345	135716534	Titanium
Φ 9×360	135716536	Titanium
Φ 9×375	135716537	Titanium
Φ 10×255	135716625	Titanium
Φ 10×270	135716627	Titanium
Φ 10×285	135716628	Titanium
Φ 10×300	135716630	Titanium
Φ 10×315	135716631	Titanium
Φ 10×330	135716633	Titanium
Φ 10×345	135716634	Titanium
Φ 10×360	135716636	Titanium
Φ 10×375	135716637	Titanium
Φ 11×255	135716725	Titanium
Φ 11×270	135716727	Titanium
Φ 11×285	135716728	Titanium
Φ 11×300	135716730	Titanium
Φ 11×315	135716731	Titanium
Φ 11×330	135716733	Titanium
Φ 11×345	135716734	Titanium
Φ 11×360	135716736	Titanium
Φ 11×375	135716737	Titanium

TibiaNailSystemCanETN
 LockingScrew


Specification	P.N	Material
Φ3.9X26	135700026	Titanium
Φ3.9X28	135700028	Titanium
Φ3.9X30	135700030	Titanium
Φ3.9X32	135700032	Titanium
Φ3.9X34	135700034	Titanium
Φ3.9X36	135700036	Titanium
Φ3.9X38	135700038	Titanium
Φ3.9X40	135700040	Titanium
Φ3.9X42	135700042	Titanium
Φ3.9X44	135700044	Titanium
Φ3.9X46	135700046	Titanium
Φ3.9X48	135700048	Titanium
Φ3.9X50	135700050	Titanium
Φ3.9X52	135700052	Titanium
Φ3.9X54	135700054	Titanium
Φ3.9X56	135700056	Titanium
Φ3.9X58	135700058	Titanium
Φ3.9X60	135700060	Titanium
Φ3.9X64	135700064	Titanium
Φ3.9X68	135700068	Titanium
Φ3.9X72	135700072	Titanium
Φ3.9X76	135700076	Titanium
Φ3.9X80	135700080	Titanium

 Tibia Nail System CanETN
 Locking Screw


Specification	P.N	Material
Φ4.9X20	135400020	Titanium
Φ4.9X24	135400024	Titanium
Φ4.9X28	135400028	Titanium
Φ4.9X30	135400030	Titanium
Φ4.9X32	135400032	Titanium
Φ4.9X34	135400034	Titanium
Φ4.9X36	135400036	Titanium
Φ4.9X38	135400038	Titanium
Φ4.9X40	135400040	Titanium
Φ4.9X42	135400042	Titanium
Φ4.9X44	135400044	Titanium
Φ4.9X46	135400046	Titanium
Φ4.9X48	135400048	Titanium
Φ4.9X50	135400050	Titanium
Φ4.9X52	135400052	Titanium
Φ4.9X56	135400056	Titanium
Φ4.9X60	135400060	Titanium
Φ4.9X64	135400064	Titanium
Φ4.9X68	135400068	Titanium
Φ4.9X70	135400070	Titanium
Φ4.9X72	135400072	Titanium
Φ4.9X76	135400076	Titanium
Φ4.9X80	135400080	Titanium

Tibia Nail System CanETN
Locking screw I



Specification	P.N	Material
Φ5×25	135710025	Titanium
Φ5×30	135710030	Titanium
Φ5×35	135710035	Titanium
Φ5×40	135710040	Titanium
Φ5×45	135710045	Titanium
Φ5×50	135710050	Titanium
Φ5×55	135710055	Titanium
Φ5×60	135710060	Titanium
Φ5×65	135710065	Titanium
Φ5×70	135710070	Titanium
Φ5×75	135710075	Titanium
Φ5×80	135710080	Titanium
Φ5×85	135710085	Titanium
Φ5×90	135710090	Titanium

Tibia Nail System CanETN
End cap(long)



Specification	P.N	Material
5	135711105	Titanium

Tibia Nail System CanETN
End cap



Specification	P.N	Material
5	135711005	Titanium
10	135711010	Titanium
15	135711015	Titanium
20	135711020	Titanium



BONE - Ti es una marca Tocamedic
Delta Tower, 15th Floor Elvira Mendez. St & Vía España No. 122
Panamá, Ciudad de Panamá

Carrera 16 No. 13C - 78
Valledupar - Cesar - Colombia

Tel: (575) 588 56 65

info@bone-ti.com

  @Bone-ti

www.bone-ti.com